

ENVIRONMENTALLY SAFE CHEMICAL SOLUTIONS

A global leader in providing green solutions for the professional



Plumbing
Indoor Air Quality
Oils
Geothermal & Solar
Precision & Mechanical Parts
Heating
Transportation

Sprinkler Systems

Exterior Surface Solutions

A/C & Refrigeration

PRODUCTS

Our pine tree symbol indicates those that are environmentally friendly. These products will not adversely affect or harm the air, water or ground, nor do they contain any chemicals currently listed as carcinogens or reproductive toxins.



ABOUT US


ComStar International Inc. manufactures the most comprehensive product line of environmentally safe, industrial strength chemical products for trade professionals.

For over 50 years, ComStar has been a leader in developing, manufacturing and marketing over 360 proprietary products designed specifically for a breadth of applications used worldwide in the HVACR, plumbing, commercial and industrial maintenance industries.

ComStar is proud to be a business that uses smart-growth strategies and consistently employs talented individuals and strategic partners.









IISTORY

Industrial Petrolic Corporation (IPC) was formed in New York in 1970 as a manufacturer and distributor of specialty chemical products for professionals in the oil heat and plumbing industries.

In 1990, a group of investors founded ComStar to acquire IPC and expand the product line from 100 to over 360 products. Comstar diversified its offerings not only to the HVACR (heating, ventilation, air conditioning and refrigeration) industries, but also the hospitality, train, automotive, indoor air quality, precision parts and building maintenance industries.







For decades ComStar has been committed to developing sustainable solutions for the environment. Our ingenuitive and award-winning products have been honored by many agencies, publications, utility and manufacturing organizations.

The majority of ComStar products are formulated to preserve our natural resources and will not harm the air, water or ground. Whether you need one special product or a full line, we develop unique solutions for all your chemical needs.

ComStar is working toward a brighter future for generations to come with safer products and unsurpassed efficacy at a superior value.







Headquarters: ComStar International Inc. 20-47 128th Street College Point, NY 11356 Toll Free: 1-800-328-0142

Manufacturing and distribution: New York, Texas, North Carolina

Global affilitates and partners: United Kingdom, Spain, Japan, China, Canada

www.comstarproducts.com www.replacementforr22.com www.comstarpurelye.com



CONTACT



CONTENTS




A/C	&	Refi	ʻige	rat	ior	1
Interna	Coi	Flushi	ng F	uids		

Internal Coil Flushing Fluids6
Exterior Condenser & Evaporator Coil
Cleaners & Brighteners 6-7
Valuline Series Exterior Condenser &
Evaporator Coil Cleaners & Brighteners 8
Acid Neutralizers, Removers and Test Kits 8
Exterior Coil Protection
Refrigerants
A/C Stop Leak Repair & System
Performance Boosters

External Leak Detectors
Mineral, POE Alkylbenzene Refrigeration Oils 11
Propylene Glycol Chiller/ HTF 12-13
Ethylene Glycol Chiller/ HTF
Mechanical Equipment Cleaners & Degreasers 15
Descalers
Ice Machine Cleaners/ Descalers
No Heat Solders & Epoxy Leak Sealant
Condensate Pan Products

Sprinkler Systems





Indoor Air Quality

Odor Control 19 - 20

Geothermal & Solar

Geothermal HTF 21 Solar System HTF 21





Heating

Fuel Oil Products	22-23
Anti-Freeze Protection	
(Boiler Anti-Freeze)	23
Odor Control	. 24
Boiler System Treatments	25
Scale & Lime Deposit Removal	. 26
Refractory Cements, Glue	
& Leak Detection	26

Soot Removers	27
Degreasers & Carbon Cleaners	27-28
Hand Cleaners	28



CONTENTS CONTD

Plumbing

Drain & Waste Line
System Cleaners 29-30
Scale & Lime Removers 30
Septic Tank & Cesspool
Cleaners
"No Heat" Solder &
Thread Locker
Flux & Pipe Soldering Coolant 32

Pipe Thread Sealants.				.3
Plastic Pipe Cement,				
Primers & Cleaners				.3





Oils

Penetrating, Lubricating				
& Water Displacing Oils.				33

Precision & Mechanical Parts

Cleaning Selection Guide.						3
Precision & Parts Cleaners				3	5-	3





Transportation

Engine, Car & Truck Body Cleaners	3
Train & Bus Body Cleaners	4
Vinyl & Leather Interior Cleaner	4
Indoor Air Quality	4
Tire & Car Wash Cleaners	
Tire Shine Products	4

Exterior Surface Solutions

Masonry Cleaners	42
Masonry & Metal Cleaners	
Paint Removers	43







Internal Coil Flushing Fluids



CF-20™

Stock No.

90-500

90-501

90-502

Internal Refrigeration Coil System Flush Cleaner

Units / Ctn.

Wt. / Ctn.

39

45

450

Size

1 gal.

5 gal.

55 gal.

	Fluid		1
	4 Ounces		
	3-7		
	,-JV		
For Rabi	geration	Cases No.	w Cab
Ar Condition	Coms Coil Flush		7
For Jet	s Where Environmentally	Safe Cleaners are Domain	4
	JF -2	ZU 🔓	
/* Non-C	e Vested into the Atmospher Morinated		
Non-C Biode - CFC I	Oblorinated gradable tree	Non-Flagmable Leaves do Nasidor Will apl Contaminate	
Non-C Blode CFC I	Oblorinated gradable tree	Noo-Furnishe Leaves de Resides Will and Contaminate conts the supple contaminate my ACO M the pretty	

Patent No. 5,643,860

- Patented formula cleans the interior coils after burnouts or before retrofits
- · Removes acid deposits and water
- CFC free, biodegradable, non-flammable non chlorinated. Low V.O.C.
- Will not contaminate oil or refrigerant
- Circulate CF-20 with the multifaceted CF-20 Pump or Flush Injector

CF-20 is an award winning, multi-purpose cleaning solution specifically designed to clean the interior pipes and coils of domestic and commercial refrigeration systems.



CF-20 FLUSH INJECTOR™

Reusable Internal System Cleaner & Flushing Tool

1	Stock No.	Size	Units / Ctn.	Wt. / Ctn.
	75 - 502	32 oz.	1	6

Fast & easy. Flushes out oils and contaminates from line sets, coils and tubing. Hook up nitrogen supply for pressurization. Use CF-20 to flush out lines.



CF-20 DUAL OIL PUMP™

Internal Refrigeration Coil System Cleaner & Oil Transfer Pump

Stock No.	Tool Kit Size	Units / Ctn.	Wt. / Ctn.
75-500	115v/80	1	7

Designed to pump CF-20 Internal Cleaner throughout systems rated up to 10 tons. Ideal in pumping larger amounts of oil into a system. Pump has a screen to catch particulates that may be circulating in the system simultaneously.



CF-40™

Cascade System Internal Coil Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-503	1 gal.	4	36
90-504	5 gal.	1	44
90-505	55 gal.	1	495

Designed to clean the interior coils of cascade and super low temp systems with complex lines. Evaporates entirely.



MOISTURE TRAP™ Refrigerant System Dehydrant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-318	4 07	12	4

Moisture can cause acid formation and will damage the compressor. Moisture Trap will seek out moisture, bond to it and prevent systems from freezing and acid from forming.



Exterior Condenser & Evaporator Coil Cleaners & Brighteners



FOAMY COIL™

Ultra High Foaming Condenser Coil Cleaner & Brighter

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-184	1 gal.	1	42

Heavy duty non-acid, high foaming coil cleaner. Removes airborne debris caught in between fins, grease and oil. Brightens coils.



COIL SAFE™

External Evaporator Coil Cleaner - Neutral pH

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-299	1 qt.	12	30
90-298	1 gal.	4	34
90-297	5 gal.	1	47
90-296	55 gal.	1	506

Non-acid, non-alkaline, non-toxic, self-rinsing. Original winning formula. Pleasant fragrance for indoor use.







Exterior Condenser & Evaporator Coil Cleaners & Brighteners cont'd

COIL KING™ Heavy Duty Condenser Coil Cleaner and Brightener - Alkaline



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-099	1 qt.	12	25
90-100	1 gal.	4	45
90-101	2.5 gal.	2	55
90 - 102	5 gal.	4	58
90-103	55 gal.	1	450

- Alkaline based cleaner brightens and cleans external condenser coils to its original condition
- · Safe on aluminum and copper
- Its unique foaming action pushes out contaminants from between the aluminum fins
- Contains inhibitors to prevent metal fatigue
- Environmentally safe, non acid based formula

Coil King professional grade concentrate can be diluted with 3 to 10 parts water (depending on the amount of foaming action and the level of cleaning required). Recommended for outdoor use only.



Part Laboration of the Control of th

ALL COIL CLEANER™ Universal Coil, Fan & Filter Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-180	1 gal.	4	30
90-181	5 gal.	1	45
90-182	55 gal.	1	450

Cleans and deodorizes evaporator & condenser coils, metal air filters, registers and mechanical equipment. Safe, strong and effective.



The transport of the tr

COM KOIL™ Heavy Duty Acid Based External Condenser Coil Cleaner & Brightener

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-149	1 qt.	12	30
90-150	1 gal.	4	34
90-151	5 gal.	1	45
90-152	55 gal.	1	450

Heavy foaming, super concentrated acid cleaner and brightener for condenser coils. Traditional pink color.



COIL KING POWDER™

A/C Coil Cleaner Powder

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-110	18 oz.	12	14

- · Safe on aluminum and copper
- Cleans and brightens condenser coils
- · Can be easily transported


Just add water. Yields 1 gallon, non-acid, foaming cleaner & brightener. Transport powder safely out a reduced cost.



FOAMY CLEAN™



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-099	16 oz. A	erosol 12	13







GRIME BUSTER ™

Dirt & Grease Stripper Coil Cleaner & Line Set Flush

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-300	16 oz. Aeroso	l 12	16
90-302	5 gal.	1	45

Very effective as a fast coil cleaner with a powerful flushing action. The special sprayer is designed for hard to reach places. Fast drying, non-flammable and non- conductive. Fresh lemon scent.



MICRO CHANNEL POWER CLEAN™

Micro Channel Condenser Coil Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-120	16 oz . Ae	rosol 12	16
90-121	1 gal.	4	34
90-122	5 gal.	1	45
90-123	55 gal.	1	450

Foams and cleans micro channel condensers and evaporator coils with protection coating. Will not harm metal or coatings. Penetrates deep into coils to push out airborne dirt.







Valuline Series Exterior Condenser & Evaporator Coll Cleaners & Brighteners

VALULINE CONDENSER COIL BRIGHTENER & CLEANER™

Economical Heavy Duty Acid Condenser Coil Cleaner & Brightener

Units /Ctn.

Wt. /Ctn.

36



The Pro's Choice!

Foaming, acid-based cleaner

Size

1 gal.

- Traditional, pink-colored coil cleaner
- Brightens as it cleans

Stock No.

90-920

- High foaming action removes dirt and airborne particulates between coil fins
- Economically priced, conveniently packaged

Its strong ingredients and heavy foam penetrate all the way through to the back of the coil to provide complete cleaning action in only 5 minutes. Perfect for a 3 gallon sprayer - add 2 gallons of water and one bottle of Valuline Coil Cleaner.



VALULINE FOAMING NON-ACID COIL BRIGHTENER & CLEANER™

Economical Non-Acid Condenser Coil Cleaner & Brightener

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-900	1 gal.	4	43

Biodegradable, concentrated cleaner. Perfect for a 3 gallon sprayer. Just add 2 gallons of water and one bottle of Valuline Coil Brightener & Cleaner.





VALULINE EVAPORATOR COIL CLEANER™

Economical Self Rinsing A/C Evaporator Coil Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-910	1 gal.	4	34

Biodegradable, non-toxic, neutral pH. Perfect for a 3 gallon sprayer. Simply add 2 gallons of water and one bottle of Valuline Evaporator Coil Cleaner.



Acid Neutralizer, Remover And Test Kits



ACID TEST KIT™

Acid Test, For All Refrigeration Oils

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-311	4 Test Kits	12	6

• Each container contains 4 test kits

Acid Test Kit detects acid in an A/C system in seconds. Test your oil for acid build up. Protect your system from harm caused by acid buildup. One container comes with 4 complete test kits.



ACID OUT™

Compressor Burnout Acid Neutralizer & Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-310	4 oz.	12	6

Packaged in a point of purchase counter display box

Removes acid from an operating system, leaves no residue. Can be used with all refrigerants and oils. Fast, effective and protects the compressor from acid related burnouts.



ACID SPILL NEUTRALIZER POWDER™

Acid Coil Cleaner Neutralizer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-155	1.5 lbs	12	20

Fast absorbing. Avoid harmful damage. Sprinkle on acid coil cleaner waste water to neutrlizepH and transform to harmless liquid.



Exterior Coil Protection



PROTECTA COAT™ Protective Exterior Coating For Coils & Cabinets

Stock No.	Size	Units / Ctn.	Wt./Ctn.
90-400	20 oz. Aer	osol 12	17
90-402	5 gal.	1	46
90-403	55 gal.	1	515

Protects against rust, corrosion, salt spray, mineral acids & animal urine. Easy spray on aerosol for small systems.





Refrigerants

Zero ozone depleting, low global warming potential. The RS Series refrigerants are the only true drop in replacements for systems using R22.



R22 Alternative!

RS-44b[™]

(R453A) R22 Drop In Replacement Refrigerant

Stock No.	Size	Units /Ctn.	Wt. /Ctn.
80-160	24 lb.	1	29
80-161	125 lb.	1	180
80-162	1000 lb.	1	1335

- For high, medium and low temperature systems down to -20°F evaporating temp
- No oil or component change required
- RS-44b operates at a similar discharge pressure as R22 and lower discharge temperature
- Compatible with mineral, AB & POE oils
- Closest match to R22 in the market

Zero ozone depleting RS-44b operates at equal cooling capacity of R22 in both A/C and refrigeration applications. Its COP is equal to R22. Low GWP (global warming potential) of 1636 AR5.





RS-45 ™

(R434A) R22 Flooded System Replacement Refrigerant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
80-120	24 lb.	1	29
80-121	110 lb.	1	168
80-122	850 lb.	1	1185

The only drop-in replacement refrigerant for R-22 flooded systems. No component changes required. Ideal for ice rinks, cold storage, chemical plant process cooling systems and more.





RS-50 ™

(R442A) R404A Replacement Refrigerant

Stock No.	Size	Units / Ctn.	Wt. / Ctn
80-145	25 lb.	1	29
80-146	125 lb.	1	183
80-147	1000 lb.	1	1334

Proven as an energy saving alternative providing high capacity, low GWP at 1754 AR5. True drop-in replacement for R404A. No oil change required.





RS-24[™] (R426A) R12 Replacement Refrigerant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
80-100	30 lb.	1	34

Only HFC drop-in replacement for R-12. No oil change. For automotive, A/C & refrigeration systems.



RS-51[™]

(R470B) R404a, R22 & R507 Replacement Refrigerant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
80-185	24 lb.	1	29

(LARGER SIZES AVAILABLE)





New HFO ultra low GWP blend drop-in replacement for existing R404a, R22 & R507 systems. GWP 692 AR5.





RS-52™

(R428A) R502 & R22 Low Temp Replacement Refrigerant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
80-130	24.2 lb.	1	29

HFC drop-in replacement for R502 and low temp R-22 systems. Ideal for use in high pressure and ultra low temp flooded systems.



RS-53™

(R470A) 410a Replacement Refrigerant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
80-180	24 lb.	1	29
(LARGER			

Only "R410a drop in" on market

• Ultra low GWP

New HFO ultra low GWP blend drop-in replacement for existing R410a equipment. GWP 909 AR5.







A/C Stop Leak Repair & System Performance Booster

Your Optimal Solution For A/C Leak Repair & Prevention



A/C ZERO LEAK [™] Permanent "Stop Leak" for A/C Systems

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-700	4 oz.	18	5

- Specially formulated to stop hairline leaks in evaporators and condensers as well as around gaskets and seals
- Designed not to harm A/C systems
- Non-hardening, polymer-free
- Compatible with POE-based, PAG-based and mineral-oil-based A/C lubricants
- Can also be used for preventive maintenance

A/C Zero Leak stops leaks in automotive and residential A/C systems. It's polymer-free formulation prevents hardening before finding a leak.



A/C ZERO LEAK TOOL™ STARTER KIT

A/C Zero Leak & Easy Connect A/C Injector

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-701	Kit	1	4

- Kit includes reusable injector cylinder and one bottle of A/C Zero Leak
- Use the cylinder to inject A/C Zero Leak directly into the system
- The pressure differential between the refrigeration ssytem and atmosphere causes the additve to active
- A/C Zero Leak begins to coagulate to create a permanent flexible seal over hairline leaks

Kit also includes a system connect tool to use with the injector cylinder. Prevents even the smallest leaks from allowing refrigerant and oil to escape into the atmosphere.





A/C EASY PASS[™] System Boost Additive

Stock No. Size Units / Ctn. Wt. / Ctn. 90-725 4 oz. 18 5

ComStar's A/C Easy Pass boosts the system's efficiency and improves the flow of refrigerant and oil through a system. It increases corrosion protection, prevents TEV sticking and unclogs expansion devices.



Sticking

TRACE A LEAK ™ Internal Refrigerant Tracer

 Stock No.
 Size
 Units / Ctn.
 Wt. / Ctn.

 90-215
 4 oz.
 12
 3

For hard to find leaks in A/C refrigeration systems. Can be used with all oils and refrigerants. Fluorescent, easy to see. Use an oil injector tool to introduce into a system.



External Leak Detectors



LEAK SEEK BLUE!™ Blue HVAC & Gas Leak Detector

Stock No.	Size	Units / Ctn.	Wt. / Ctn.	
90-208	1 qt. w/spray	12	24	
90-209	1 gal.	4	40	
90-210	55 gal.	1	515	

Ultra small leak detector. Non-freezing, fast-acting, long-lasting bubble. Detects leaks in refrigerant natural gas, nitrogen, air & CO2 lines.



LEAK SEEK YELLOW![™] Fluorescent Yellow Leak Detector

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-203	8 oz.	24	14
90-204	1 qt. w/spray	12	22
90-205	1 gal.	4	40
90-207	55 gal.	1	515

Easy to see, fast action, long-lasting bubble. Detects leaks in refrigerant, natural gas, nitrogen, air & CO2 lines.







Mineral, POE & Alkylbenzene Refrigeration Oils

Note: Call for ammonia system lubricants.



HFC OIL COUPLER™ High Flow Capacity Oil Coupler

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-850	8 oz	12	8
45-851	1 pt.	12	11

HFC Oil Coupler saves time and money when converting systems using R22 to the one using an HFC refrigerant. No POE oil system change out required. Provides sufficient oil return to compressors when using mineral oil.



POLYOL ESTER OIL 32 (POE)™ Reduced Energy Consumption POE - 32 Oil 150 SUS

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-019	1 qt.	12	62
45-007	1 gal.	4	49
45-008	5 gal.	1	40
45-009	55 gal.	1	440

*SUS (Sabolt Universal Seconds)

Designed specifically for use with HFC refrigerants. Also miscible with CFC and HCFC refrigerants. Our POE oils have excellent thermal, oxidative and hydrolytic stability. OEM approved.





REFRIGERATION OIL™ Mineral Oil C-3/GS, 150 SUS

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-001	1 gal.	4	44
45-002	5 gal.	1	45
45-003	55 gal.	1	515

*SUS (Sabolt Universal Seconds)

Designed for high performance A/C & refrigeration compressors. Provides superior lubrication for today's compressors that generate higher speeds and operation temperatures. Good for low temperature performance. OEM compliant.



POLYOL ESTER OIL 68 (POE)™

Reduced Energy Consumption POE - 68 Oil 300 SUS

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-020	1 qt.	12	62
45-010	1 gal.	4	49
45-011	5 gal.	1	40
45-012	55 gal.	1	440

*SUS (Sabolt Universal Seconds)

Designed specifically for use with HFC refrigerants. Also miscible with CFC and HCFC refrigerants. Our POE oils have excellent thermal, oxidative and hydrolytic stability. OEM approved.





REFRIGERATION OIL™ Mineral Oil C-3/GS, 300 SUS

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-004	1 gal.	4	44
45-005	5 gal.	1	45
45-006	55 gal	1	515

*SUS (Sabolt Universal Seconds)

Designed for high performance A/C & refrigeration compressors. Provides superior lubrication for today's compressors that generate higher speeds and operation temperatures. Good for low temperature performance. OEM compliant.



POLYOL ESTER OIL - HMC^{TM}

Flooded System Oil

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-105	1 gal.	4	38
45-106	5 gal.	1	44
45-107	55 gal	1	460

Formulated for flooded systems with HFC, HFO blends and drop in replacements for R22. Ideal for systems known to have oil travel downstream with simple oil return mechanisms or processes. Recommended for RS-45 (R434A).





ALKYL BENZENE OIL™ Superior Refrigeration Oil

	<u>150 SUS</u>			
Stock No.	Size	Units / Ctn.	Wt. / Ctn.	
45-013	1 gal.	4	49	
45-014	5 gal.	1	40	
45-015	55 gal.	1	440	
	30	00 SUS		
45-016	1 gal.	4	49	
45-017	5 gal.	1	40	
45-018	55 gal.	1	440	

Recommended in all A/C refrigeration application using CFC and HCFC refrigerants. Specifically HCFC blends R-401a/b, R-402 a/b & R-409a. Excellent miscibility, thermal stability and compatibility.



POLYOL ESTER OIL - HE™ Reduced Energy Consumption

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-100	1 gal.	4	38
45-101	5 gal.	1	44
45-102	55 gal.	1	460

(ISO 68 - 300) - Ideal for systems designed for high viscosity POE compressor lubricants. Designed to ensure optimal compressor protection and better low temperature fluidity in systems with modern or advanced oil return capability.







Propylene Glycol Chiller/ Heat Transfer Fluids

ComStar's ProFrost series takes the guesswork out of dilution ratios! Ready to use formulas are diluted with the exact percentage of water and safe, propylene glycol. Contains inhibitor, color or both. Designed for use in a multitude of systems where it comes in direct contact with consumables.

PG 100% FOOD GRADE USP/EP™

Food Grade 100% Propylene **Glycol Formula**



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-800	5 gal.	1	45
35_713	55 gal	1	515

- PG 100% Food Grade USP/EP is certified as "PG Food Quality" and "Food Grade"
- . Meets current Food Chemicals Codex for USP Industry standards
- PG 100% Food Grade USP/EP can be used directly in foods, feed and drugs or their containers

Can also be used in mechnical systems where it comes in direct contact with consumables.





FREEZE SAFE™

Propylene Glycol 80% w/Blue Color & Inhibitor

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-760	1 gal.	4	36
35-761	5 gal.	1	45
35-762	55 gal.	1	515

Freeze Safe has been the industry standard for anti-freeze among A/C and refrigeration for over 50 years. Contains 80% propylene glycol, blue color and inhibitor.





PROFROST BI-100™

Propylene Glycol 100% w/Blue Color & Inihibitor

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-775	55 gal.	1	515

- Contains 100% propylene glycol, instead of the standard 80% dilution ratio
- · Contains blue dye and corrosion inhibitor

ProFrost can be customized to contain a specific dye or dilution ratio upon request. Can also be formulated with or without a corrosion inhibitor.



PROFROST STANDARD SERIES

Propylene Glycol Anti-freeze



PROFROST 100 ™ Propylene Glycol 100% solution			
35-714	5 gal.	1	45
35-715	55 gal.	1	515

Units / Ctn.

Wt. / Ctn.

PROFROST 70 ™ Propylene Glycol 70% solution


Stock No.

35-844	5 gal.	1	45
35-816	55 gal.	1	515



PROFROST 60 ™ Propylene Glycol 60% solution 5 gal. 45 55 gal. 515 35-841

PROFROST 50 ™ Propylene Glycol 50% solution



	•		
35-808	5 gal.	1	45
35-807	55 gal.	1	515

PROFROST 40 ™



35-842 5 gal. 45 35-843 55 gal. 515

PROFROST 30 ™



Topylette diyeol 30 % solution			
35-772	5 gal.	1	45
35-773	55 gal.	1	515

- ProFrost Standard Series is pure propylene glycol pre-mixed with water according to specific dilution ratios
- All ProFrost Standard products are considered "Food Quality." For "Food Grade" propylene glycol, use PG 100% Food Grade USP/EP

ProFrost Standard Series can be used where food and can be used where food, but not in direct contact. Pre-mixed formulas take the guesswork out of diluting for specific applications.







Wt. / Ctn.

Propylene Glycol Chiller/Heat Transfer Fluids

ProFrost takes the guesswork out of dilution ratios! Ready to use formulas are diluted with the exact percentage of water, propylene glycol, inhibitor, color or both. Designed for use in a multitude of systems.

45

515

PROFROST I SERIES


Propylene Glycol Anti-freeze with Inhibitor











PRUFRUST I-40 *** Propylene Glycol 40% w/Inhibitor				
35-711	5 gal.	1	45	
35-712	55 gal.	1	515	

PROFROST I-30 ™	
Propylene Glycol 30%	w/Inhibitor

35-749	5 gal.	1	45
35-753	55 gal.	1	515

• ProFrost I Series contain just an inhibitor to protect metal pipes, without color added

DDOCDOOT L 40 IM

· Each product is pre-mixed with water according to specific dilution ratios for convenience

ProFrost I Series is designed to work with chillers, refrigeration systems, process cooling, food processing, thermal storage, computer cooling rooms, solar systems, heating & cooling loops, sprinkler and radiant heating systems.



PROFROST CI SERIES

Stock No.

PROFROST CI-100 ™

Propylene Glycol Anti-freeze with **Neon Green Color & Inhibitor**

Units / Ctn.

Propylene	Glycol 100% v	v/ Green Co	lor & Inhibitor
35-723	5 gal.	1	45
35-722	55 gal.	1	515

PROFROST CI-70 ™ Propylene Glycol 70% w/ Green Color & Inhibitor

45 35-870 35-871 55 gal. 515

PROFROST CI-60 ™ Propylene Glycol 60% w/Green Color & Inhibitor 35-827 5 gal. 45

35-828 55 gal. 515

Propylene Glycol 50% w/Green Color & Inhibitor 35-838 45 35-839 55 gal. 515



PROFROST CI-50 ™

PROFROST CI-35 ™

Single Street of the Street of	00 701		l l	45
Comment III	35-752	55 gal.	4	45
	00 702	J	1	515

Propylene Glycol 35% w/Green Color & Inhibitor 35-813 5 gal. 45 35-814 55 gal. 515

PROFROST CI-30 ™ Propylene Glycol 30% w/Green Color & Inhibitor

35-770	5 gal.	1	45
35-771	55 gal.	1	515
			010

• ProFrost Cl Series contain a neon green color and an inhibitor.

Each product is premixed for convenience and are designed to work with a variety of systems. Note: For anti-freeze fluids designed for boiler & geothermal systems, see the boiler anti-freeze section.







Wt. / Ctn.

Ethylene Glycol Chiller/Heat Transfer Fluids

ComStar's Frost Free Series takes the guesswork out of dilution ratios! Ready to use formulas are diluted with the exact percentage of water, ethylene glycol, inhibitor, color or both. Designed for use in a multitude of systems: chillers, refrigeration systems, process cooling, food processing, thermal storage, computer cooling rooms, solar systems, heating & cooling loops, sprinkler and radiant heating systems. For boiler & geothermal systems, please see respective sections.

FROST FREE STANDARD SERIES

100% Ethylene Glycol Anti-freeze



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
	REE 100 ™ Slycol 100%		
35-707	5 gal.	1	45
35-708	55 gal.	1	515
FROST FI	REE 60 ™ Slycol 60%		
35-832	5 gal.	1	45
35-833	55 gal.	1	515



35-832	5 gal.	1	45
35-833	55 gal.	1	515
FROST FI	RFF 5N™		
	ilycol 50%		
35-834	5 gal.	1	43
35-835	55 gal.	1	515
FROST FI	REE 40 ™ Slycol 40%		
35-836	5 gal.	1	43
35-837	55 gal	1	515

Frost Free Standard Series contain pure ethylene glycol, premixed with water according to specific dilution ratios


FROST FREE CI-RED SERIES

Ethylene Glycol Anti-freeze with



Neon Red Color & Inhibitor

FROST FREE CI-RED 100 ™



Units / Ctn.

35-710 55 gal. 515

FROST FREE CI-RED 60 ™

Stock No.

Ethylene Glycol 60% w/ Red Color & Inhibitor

5 gal. 35-906 45 35-907 55 gal. 515



FROST FREE CI-RED 50 ™

Ethylene Glycol 50% w/ Red Color & Inhibitor

35-904 5 gal. 45 35-905 55 gal. 515

FROST FREE CI-RED 40 ™

Ethylene Glycol 40% w/ Red Color & Inhibitor

35-902 5 gal. 45 35-903 55 gal. 515

Frost Free CI Red Series contain a neon red color and an inhibitor.

FROST FREE I SERIES

Ethylene Glycol Anti-freeze with Inhibitor



Ethylene Glycol 100% w/Inhibitor

35-716	1 gal.	4	36
35-717	5 gal.	1	45
35-718	55 gal.	1	515



Ethylene Glycol 60% w/Inhibitor

35-830	5 gal.	1	45
35-831	55 gal.	1	515



FROST FREE I-50 ™

Ethylene Glycol 50% w/Inhibitor

35-809	5 gai.	1	48
35-802	55 gal.	1	515

FROST FREE I-40 ™

Ethylene Glycol 40% w/Inhibitor

35-799	5 gal.	1	45
25 004	55 gal	4	EAE

Frost Free I Series containers a corrosion inhibitor to protect metal pipes and is premixed with specific dilution ratios.

FROST FREE CI-GREEN SERIES

Ethylene Glycol Anti-freeze with **Neon Green Color & Inhibitor**



FROST FREE CI-GREEN 100 ™

Ethylene Glycol 100% w/ Green Color & Inhibitor

35-900	5 gal.	1	48
35-901	55 gal.	1	515

FROST FREE CI-GREEN 35 ™

Ethylene Glycol 35% w/ Green Color & Inhibitor

35-803	5 gal.	1	48
35-804	55 gal.	1	515

FROST FREE CI-GREEN 30 ™

Ethylene Glycol 30% w/ Green Color & Inhibitor

35-805	5 gal.	1	48
35-806	55 gal	1	515

Frost Free CI Green Series contain a neon green color & an inhibitor.



FROST FREE C-GREEN SERIES

Ethylene Glycol Anti-freeze with Neon Green Color

FROST FREE C-GREEN 100 ™

Ethylene Glycol 100% w/ Green Color only

5 gal. Frost Free Green 100 contains pure ethylene glycol and green color.

35-899





Mechanical Equipment Cleaners & Degreasers



GREASE BLASTER™

Heavy Duty, Light Foaming Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-126	16 oz. Aerosol	12	16

No odor, environmentally safe, non-freezing, self-rinsing degreaser. Unique trigger spray reaches difficult areas. Not water soluble.



GREASE AWAY™

HD Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-130	1 qt. w/spray	12	19
55-131	1 gal.	4	33
55-132	5 gal.	1	45
55-133	55 gal.	1	515

Water soluble and low odor. Rapidly liquefies and lifts greasy grime for fast and easy cleaning. Great for hundreds of applications.





CONTACT CLEANER™

Electrical Contact Spray Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-620	8 oz Aerosol	12	12



DEGREASE 20^{+™}

Fast-Drying Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-305	1 gal.	4	45
90-306	5 gal.	1	55

Contact Cleaner is a burnishing cleaner with high dielectric strength for electrical contact cleaning. Fast drying-old classic.

Heavy Duty, non-flammable, non-conductive, fast-drying degreaser. No water rinse necessary.



GRIME BUSTER™

Dirt & Grease Stripper Coil Cleaner & Line Set Flush

Stock No.	Size	Units / Ctn.	Wt./Ctn.
90-300	16 oz. Aerosol	12	17

Very effective as a fast coil cleaner with powerful flushing action. For hard to reach places, Fast drying, non-flammable and non-conductive. *Present lemon scent



FOAMY CLEAN™

No Rinse Coil Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-099	16 oz. Aerosol	12	16

Formulated for indoor cleaning great on evaporator coils and many other surfaces. Self rinsing with fast breaking foam. Cleans and Deodorizes.





SUPER FANTASTIC FOAM™

Foaming Water Rinse Degreaser

Stock No.	Size	Units / Ctn.	Wt./Ctn.
55-221	16 oz. Aerosol	12	16
55-222	1 gal.	4	48
55-223	5 gal.	1	45
55-224	55 gal	1	450

Super Fantastic Foam Degreaser is used for all grease, oil and deodorizing jobs where environmentally safe cleaners are demanded. Lemon scented, heavy foaming, and it's water rinse formula makes it the safest degreaser in the market!



Supple Continued for its analysis of the Continued for its analysis of the

SUPER GREASE CUTTER™

Heavy Duty Mechanical Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55 - 121	16 oz. Aerosol	12	16
55-122	1 gal.	4	48
55-123	5 gal.	1	45
55-124	5 gal	1	450

Comstar's Super Grease Cutter is an USDA registered, bio-safe solvent based mechanical degreaser. Self-rinsing and biodegradable. This product will not contaminate waste oil.







Descalers



CALCI GONE™

Super Strength Color Coded Descaler

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-364	1 qt.	12	25
30-365	1 gal.	4	39
30-366	5 gal.	1	41

HD long-lasting calcium, lime scale remover. Color coded to indicate when scale is gone. Rated the most effective descaler in the market.



LIME DISSOLVER™

Superior Scale Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-350	1 qt.	12	25
30-345	1 gal.	4	39
30-351	5 gal.	1	45
30-352	55 gal.	1	515

Water Tower and water cooled equipment cleaner & descaler. Lowers head pressure. Color coded, anti-foam, safe on galvanized metal. Fast reacting.



LIME DISSOLVER "PLUS" ™

No Fume Scale Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30 - 355	1 qt.	12	25
30-360	1 gal.	4	25
30-361	5 gal.	1	45
30-363	5 gal. w/color & inhibitor	1	45
30-362	55 gal.	1	515

Dissolves lime and scale in water lines and ice machines. Removes concrete and rust stains. For use in sensitive areas that can not tolerate irritating fumes.

SEASON PREP™

Cooling Tower Scale Remover



Size	Units / Ctn.	Wt. / Ctn
10 lbs.	4	40
50 lbs.	1	50
	10 lbs.	10 lbs. 4

Removes scale from water towers, fines, water heater coils. New color indicator lets you know when scale is gone.

Ice Machine Cleaners/ Descalers



ICE MACHINE CLEANER™

Cleaner For Ice Machines

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-350	8 oz.	12	8
90-351	16 oz.	12	20
00.050	4 1	4	2.4

Most effective food grade liquid to remove scale deposits from ice machines. No fume and no chlorides to attack stainless steel. Long time standard.



LIQUID & CRYSTAL SCALE INHIBITOR™

Scale Inhibitor And Corrosion Water Treatment

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90 - 375	1 gal.	4	36
90-376	5 gal.	1	45
90-377	55 gal.	1	515
Crystal Sca	ale Inhibitor		
Qn_37Q	5 gal	4	

Self-feeding treatment to inhibit scale formation and corrosion in small cooling towers. Long lasting time release treatment.





Nickel Safe Ice Machine Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-356	16 oz.	12	13
90-357	1 gal.	4	34



Meets Manitowoc Spec. GES-6. Safe on all nickel components. Removes scale deposits. No fumes. A classic.

ICE CLEAN™

Powdered Ice Machine Cleaner



Powdered scale remover safe on nickel. Does not produce fumes, very economical. Mix with water at job site.





No Heat Solders & Epoxy Leak Sealant



COPPER LOCK™

No Heat Solder For Copper

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
10-800	2 oz. Display	/ 18	5
10-801	10 ml. Clear Hang E	12 Box	3

- Permanently bonds copper piping!
- · No soldering or brazing necessary
- · Creates a permanent leakproof seal in 2 minutes
- Can withstand pressures at 10,000 PSI flow and 500 PSI contained
- Withstands temperatures from -60°F to +300°F.

Copper Lock is revolutionizing the way pipes are soldered. Simply apply it inside the connector, fit in the pipe and within seconds a permanent leakproof seal will occur. Recommended for metals that come in contact with acid, air, alkalines, brine, caustics, gasoline, kerosene, oil, refrigerants, solvents, steam, water and more.





METAL LOCK BLACK™

No Heat Solder For All Metals

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
10-900 (Display)	2 oz.	18	5

Metal Lock Black is the easy, safe answer to permanently join any type of metal pipe and fitting together without hot soldering or brazing.

Use on aluminum, copper, brass, black iron, steel and more!



METAL EPOXY™

Patch And Repair Epoxy Filler

Stock No.	Size	Units / Ctn.	Wt./Ctn.
00-200	25 ml.	12	3



Fills holes and cracks. Bonds to metal, wood, plastic, glass and rubber. No heat required; hardens in 5 minutes. Easy to use, unique syringe applicator.

Condensate Pan Products



ANTI CLOG™

Drain Pan Bacteria and Slime Preventor

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-559 (strip)	1-3 Ton units	24	3
90- 660 (square)	5 Ton units	24	3
90-661 (rectangle)	15 Ton units	12	3

EPA registered. Powerful and goes to works immediately to stop and prevent bacteria growth and slime deposit build up. Lasts for 3 months of continuous 24 hour operation. Keeps drain lines open and clean.



PAN PILLS™

Condensate Pan & Humidifier Treatment

HIL	Stock No.	Size	Units / Ctn.	Wt. / Ctn
	90-319	10 Pills	12	4
System Clean to Scale & Odors to Scale & Odors to Colory Fragmen adhay Francis Camer amendary Self to	90-320	120 Pills Approx.	12	10

Easy to use pills prevents condensate pan clogging, slime, objectionable odor, scale and corrosion. Long -lasting. Leave in condensate pan, will dissolve over time.





PAN JELLY™

Condensate Pan Treatment

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-325	4 oz.	20	5

Eliminates slime build up and keeps drain lines open to prevent over spills. Unique jelly will last 3 months and can be used for all size systems. Has Special long snout for easy application. Just point snout, aim and squeeze.



CONDENSATE PAN DRAIN OPENER™

Liquid Condensate Pan Drain Opener & Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-315	1 qt.	12	30
90-316	1/2 gal.	6	30

Cleans away condensate pan drain blockage fast. Eliminates odors and organic material. Removes drain blockages fast.





Sprinkler Systems





Specialty Sprinkler & Chiller Fluids



FIRE SAFE™

Sprinkler System - Glycerine NFPA Approved

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-765	5 gal.	1	45
35-766	55 gal.	1	515


Ready to use (RTU) glycerine anti-freeze for wet fire protection sprinkler systems with CPVC components. Protects to -15 ° F. Formula approved by the NFPA (National Fire Protection Agency).



SPRINKLER SAFE™

Sprinkler System - Proplyene Glycol

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-768	5 gal.	1	45
35-769	55 gal.	1	515







Sprinkler Anti-Freeze - Glycerine

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-763	5 gal.	1	45
35-764	55 gal.	1	515

Glycerine anti-freeze "pre-mixed" for CPVC sprinkler systems. Provide to -43 ° F protection for ultra low temp locations.





FIRE PRO TECH-100™

Concentrated Sprinkler Anti-Freeze - Glycerine

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-778	5 gal.	1	50
35-779	55 gal.	1	515

100% glycerine anti-freeze intended to be blended with water to the desired freezing protection.





FREEZE FREE, PROFROST & FROST FREE HYDROMETERS™

Anti-Freeze Tester

Stock No. 35-742	Type Propylene Glycol	Units / Ctn. 1	Wt. / Ctn 4 oz.
35-743	Ethylene Glycol	1	4 oz.

Determines the freezing levels of all propylene glycol and ethylene glycol anti-freeze.



PER BUTTOS IN THE PER BUTTOS I

PG/EG CORROSION INHIBITOR™

Anti-Freeze Recharge Package

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-702	1.5 lb.	12	19
35-703	55 gal.	1	515

PG/EG Corrosion Inhibitor is an additive to recharge the corrosion inhibitor level of propylene & ethylene glycol based anti-freeze, chiller & heat transfer fluids. Increases life of fluids and systems by eliminating acidic water levels.





Screw, Nut and Stud Locker

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
10-808	2 oz.	18	3

- Prevents nut, bolt and screw from loosening
- Operates in temperatures -60°F to +300°F
- Meets U.S. military specifications

Permanent, high strength metal thread locker. Eliminates need for double nutting and welding. Prevents corrosion and leakage. Good on oily surfaces.



LOCK JOINT ™ Blue Pipe Join

Stock to the Pipe June Sealest Sealest

Blue Pipe Joint Sealant, Locks Without Hardening

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
10-614	2 oz.Tube	12	3
10-615	1/4 pt.	24	12
10-625	1/2 pt.	24	22
10-635	1 pt.	12	22

Good for oil, gasoline, water, steam, natural gas and refrigerants. Will not drip or spill. Pro's choice.



Indoor Air Quality



Wt. / Ctn.

14

20

220

20

33

Wt. / Ctn.

15

30

45

Odor Control



SWEET AIR SPRAY™ **Odor Neutralizer Spray**



Cherry Scented

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-520	16 oz. Aeroso	l 12	17

Best selling fuel odor neutralizer spray!

Sweet Air Spray is an odor neutralizer with a strong but pleasant cherry scent. This unique product goes to work fast to eliminate unwanted odors for long periods of time.









Concentrated Liquid Heavy Duty Deodorizer And Air Freshener



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-050	5 gal.	1	45
05-051	55 gal.	1	515

Industrial stength odor neutralizer with a strong but pleasant cherry scent. Work fast to eliminate unwanted odors for long periods of time. Safe, economical and easy to use.







Eliminates "DIrty Socks" odors from A/C coil. Perfect for split systems or heat pumps any system with unwanted odors. One treatment lasts for a season.





ODOR ELIMINATOR™

Heavy Duty Odor Neutralizer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-215	32 oz. spray	12	30
60-216	1 gal.	4	40

Spray on chemical spill or areas of unwanted odors after clean up to eliminate all trace of the odor. Works like no other oil & chemical odor eliminator.





HVAC ODOR CLEAN™ Odor Eliminator & Cleaner

14 oz. Aerosol

1 gal.

5 gal.

SWEET AIR POWDER™

15 oz. Powder

5 gal. Powder

55 gal. Powder

1.5 lb. Pellets

33 lb Pellets

Size

Absorbent

Deodorizes fuel odors. Pleasant cherry scent. Absorbs oil,

DIRTY SOX™

& Cleaner

Stock No.

90-655

90-656

90-657

Stock No.

60-620

60-623

60-622

60-619

60-624

chemicals and all unwanted liquids.

Powdered Odor Remover And

Units / Ctn.

12

Small A/C System Odor Neutralizer

Units / Ctn.

12

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-650	32 oz.	12	14
90-651	1 gal.	4	34

Safely cleans hard surfaces and eliminates odors in ducts, filers, small A/C, hard surfaces, refrigeration systems and vents due to mold, bacteria, grease & tobacco. No chemical scent.





ODOR BOMB SERIES™ **Heavy Duty Deodrant Products**

60-635

Stock No.



Size



Units / Ctn.



Odor Bomb is an odor neutralizer gel cup with strong but pleasant scent. Comes packed in a counter display box with three each gel cups of cherry, orange, mint and pure air scents.



Wt. / Ctn.



DUCT CLEAN™ Air Duct Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-307	1 gal	4	34
90-308	5 gal.	1	45
90-309	55 gal.	1	515

Designed for cleaning vents, register and air ducts. Heavy duty. No chemical scent.



Odor Control



CHERRY BOMB[™] Heavy Duty Deodrant Gel Cup

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-621	8 oz. gel	12	7

Cherry Bomb is a heavy duty cherry scent deodrant. Ultra longlasting fragrance work fast to eliminate unwanted odors for long periods of time. Does not mask over odors with perfume. Safe on all types of surfaces.



ORANGE BOMB[™] Odor Eliminator Gel Cup

Stock No.	Size	Units / Ctn.	Wt./Ctn.
60-625	8 oz. gel	12	7

Orange Bomb is an odor eliminator with a pleasant orange scent. This unique product quickly eliminates unwanted odors. Also available in pellets, powder and liquid spray.





PURE AIR™ Odor Neutralizer Gel Cup

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-225	8 oz. gel	12	7
60-226	3 lb. gel tube	•	18

Turns unwanted odors into pure smelling air. Good for vehicles, rooms, ducts, air handling units, ventilation systems and more. Eliminates odors from stagnant air, garbage, smoke, mildew & musk, animal and human waste, vomit, decay & more.



MINT BOMB[™] Heavy Duty Deodrant Gel Cup



Mint Bomb is an odor neutralizer with a pleasant mint scent. Eliminates unwanted odors for long periods of time. Safe and easy to use. Leaves air smelling clean and fresh. Safe on all types of surfaces.





PURE AIR™

Spray, Powder & Pellets Odor Neutralizer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-220	16 oz.w/s	pray 12	13
60-221	1 gal	4	33
60-222	1 lb. pov	vder 12	13
60-223	1.3 lb. pel	lets 12	16

Eliminates odors and cleans up all liquid spills. Leaves a mild scent. Available in powder, pellets and liquid form.



PURE AIR™

Liquid Odor Neutralizer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60 - 222 (powe	_{der)} 1 lb.	12	13
60-223	1.3 lb.	12	13
60-234	5 gal.	1	45
60-220	55 gal.	1	515

Eliminates odors and cleans up all liquid spills. Leaves a mild scent. Also available in Powder & pellets form.





ORANGE BOMB SERIES™

Spray, Powder & Pellets Odor Neutralizer

Stock No.	Size	Units / Ctn.	Wt./Ctn.
60-628	16 oz.w/spray	12	14
60-627	1 lb. Powder	12	13
60-626	1 lb. Pellets	12	13

Eliminates odors and cleans up all liquid spills. Great for hard to reach odors. Leaves a pleasant scent.



MINT BOMB[™] Liquid Odor Neutralizer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-631	1 lb.	12	13
60-632	5 gal.	1	45

Mint Bomb is an Odor Neutralizer with a strong but pleasant Mint scent. Eliminates odors such as A/C dirty socks, garbage, smoke, mildew, animal waste, tobacco and vomit. Leaves a mild scent.





Geothermal & Solar



Geothermal Heat Transfer Fluids (HTF)



GEOTHERMAL-PG™

Geothermal Propylene Glycol **Heat Transfer Fluid**

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
01-170	5 gal.	1	46
01-171	55 gal.	1	515

Super Concentrated

Concentrated propylene glycol based heat transfer fluid (HTF) is specially formulated for geothermal systems. Non-toxic, non-flammable and biodegradable. Contains metal corrosion inhibitor and particle suspenders. Colored fluorescent green for easy leak detection.



RTU GEOTHERMAL- PG™

Pre-Mixed Geothermal Propylene Glycol Heat Transfer Fuid

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
01-310	5 gal.	1	46
01-311	55 gal.	1	515

Ready To Use

Ready to use heat transfer fluid specially formulated for geothermal systems. Non-toxic, non-flammable and biodegradable. Contains metal corrosion inhibitor and particle suspenders. Colored fluorescent green for easy leak detection.





GEOTHERMAL- M™

Geothermal Methanol **Heat Transfer Fluid**

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
01-159	5 gal.	1	46
01-160	55 gal.	1	515

Super Concentrated

Concentrated methanol based heat transfer fluid is specially formulated for geothermal systems. Flammable. Contains metal corrosion inhibitor and particle suspenders to protect aluminum system components.



RTU GEOTHERMAL- M™

Pre-Mixed Geothermal Methanol Heat Transfer Fuid

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
01-300	5 gal.	1	46
01-301	55 gal.	1	515

Ready To Use

Ready to use methanol based heat transfer fluid specially formulated for geothermal systems. Flammable. Contains metal corrosion inhibitor and particle suspenders to protect aluminum system components.



GEOTHERMAL- E™

Geothermal Ethanol Heat Transfer Fluid

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
01-168	5 gal.	1	46
01-169	55 gal	1	515

Super Concentrated

Concentrated ethanol based heat transfer fluid is specially formulated for geothermal systems. Biodegradable and non-toxic, but flammable. Contains metal corrosion inhibitor and particle suspenders to protect aluminum system components.



RTU GEOTHERMAL- E™

Pre-Mixed Geothermal Ethanol Heat Transfer Fuid

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
01-305	5 gal.	1	46
01-306	55 gal.	1	515

Ready To Use

Ready to use, ethanol based heat transfer fluid is specially formulated for geothermal systems. Biodegradable and non-toxic, but flammable. Contains corrosion inhibitor and particle suspenders to protect aluminum system components.



Solar System Heat Transfer Fluids (HTF)



SOLAR PROFLOW™

Heat Transfer Fluid & Anti-freeze

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
01-175	5 gal.	1	46
01-176	55 gal.	1	515

Propylene glycol based, ready to use high temperature heat transfer fluid is recommended for closed back solar systems and closed loop solar systems. No dilution necessary.







Fuel Oil Products



SUPER HEAT™

Heavy Duty, Light Foaming Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-129	8 oz.	24	16
60-130	1 qt.	24	27
60-145	1 gal.	6	54
60-150	5 gal.	1	45
60-160	55 gal.	1	515

Super Heat is the original fuel oil treatment. Controls waxing & gelling, melts ice, lowers pour point, dissolves sludge, eliminates water, cleans the system, reduces soot and prevents bacteria.



BIOFUEL TREAT™

7 in 1 Biofuel Oil Treatment

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-120	8 oz.	24	16
60-122	1 gal.	4	36
60-123	5 gal.	1	48

Corrects & prevents spider web sludge and semi-solid material tin biofuels. Good in all biofuels.



ICE FREE™

Fuel Oil & Diesel De-Icer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-175	16 oz.	24	30
60-176	5 gal.	1	48
60-179	55 gal.	1	515

Works fast to dissolve ice & wax in iced and jelled fuel oil and diesel fuel. Use to dissolve ice build up or to prevent it.



SLUDGE SOLVE™

Heavy Oil Sludge Eliminator

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-235	1 qt.	24	50
60-245	1 gal.	4	34
60-250	5 gal.	1	40
60-265	55 gal.	1	515

Heavy duty shock treatment to remove sludge in fuel tanks and to prevent lines, screens and nozzles from clogging.



WATER ABSORBER™

Water Disperant For Fuel Oil

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-330	1 pt.	24	30
60-335	1 qt.	24	60
60-345	1 gal.	4	36
60-350	5 gal.	1	45
60-365	55 gal.	1	515

Heavy Duty water disperant. Rids fuel oil of water and prevents freezing and corrosion.



FUEL OIL SPILL SPONGE™

Oil Spill Collector

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-205	8 oz.	12	6
60-206	10 lb.	1	11

Biodegradable oil turns to rubber mat for easy pick up. Just sprinkle powder onto oil. Works great to pick up oil mixed with water in sump pump collection point.





SAFE!™

Bacteria Oil Spill Eater

Stock No.	Size	Units / Ctn.	Wt./Ctn.
60-200	8.5 oz.	12	8
60-201	10 IIb.	1	11

Dispose of oil spills safely. Enviro-safe organic bacteria will "eat" and absorb the oil naturally. Sprinkle directly onto oil or mix with water and flush solution on oil spill area.



LIQUID SAFE™

Environmental Oil Spill Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-203	32 oz.	12	25
60 - 204	1 gal.	4	34
60-207	5 gal.	1	45
60-208	55 gal.	1	515

This environmental oil spill cleaner is a ready to use bacterial and enzymatic blend specifically formulated to degrade and decompose petroleum spills naturally for safe disposal.







Fuel Oil Products



WATER DETECTING PASTE™

Water Level Detecting Paste


Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-405	2 oz. Jar	24	4
60-406	3 oz. Tube	24	5

Shows the amount of water in fuel oil tanks. Apply the paste on a measuring stick and dip in into the tank. The paste area that comes in contact with water turns to a color purple.



GAS LEVEL INDICATOR™ Gas Tank Level Indicator

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-408	2 oz. Jar	24	5





Anti-Freeze Protection (Boiler Anti-Freeze)

(See A/C & Refrigeration Section For 100% And RTU Propylene & Ethylene Glycol)



FREEZE FREE -100°F POLAR™ **Boiler Anti- Freeze**

Stock No.	Size	Units / Ctn.	Wt. / Ctn
35-757	1 gal.	4	35
35-755	5 gal.	1	45
35-756	55 gal.	1	515

Freeze Free is an Anti-Freeze, Non-Toxic, Propylene Glycol Formula that protects to -100° F burst. Recommended for solar heating systems, home boilers, summer cottages, RVs, boats, trailers, cooling towers, and more.



FREEZE FREE -100°F™ Aluminium Safe Boiler Anti- Freeze

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-725	1 gal.	4	35
35-730	5 gal.	1	40
35-740	55 gal.	1	515

Freeze Free is an Anti-Freeze, Non-Toxic, Propylene Glycol Formula that protects to -100° F burst. Recommended for solar heating systems, home boilers, summer cottages, RVs, boats, trailers, cooling towers, and more.





FREEZE FREE-50°F™

Aluminium Safe Boiler Anti-Freeze

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-724	1 gal.	4	35
35-729	5 gal.	1	45
35-739	55 gal.	1	515

Freeze Free is an Anti-Freeze, Non-Toxic, Propylene Glycol Formula that protects boiler and cooling systems to -50° F. Recommended for solar heating systems, home boilers, cottages,RVs, boats, trailers, cooling towers, and more.



PG/EG CORROSION INHIBITOR™ Anti-Freeze Recharge Package



PG/EG Corrosion Inhibitor is an additive to recharge the corrosion inhibitor level of Propylene & Ethylene Glycol based anti-freeze, chiller & heat transfer fluids. Increases life of fluids and system by eliminating acidic water levels.





RV GRADE FREEZE FREE™

Anti-Freeze, Non-Toxic, PG Formula for RVs

Stock No.	Size	Units / Ctn.	Wt./Ctn.
35-741	1 gal.	4	35
35-744	5 gal.	1	45
35-746	55 gal.	1	515

RV Grade Freeze Free is a safe, Non-toxic, anti-freeze that contains a special corrosion inhibitor that provides the best metal corrosion protection. It is not intended for boilers.





FREEZE FREE, PROFROST & FROSTFREE HYDROMETERS™

Anti-Freeze Tester

Stock No. 35-742	Type Propylene Glycol	Units / Ctn. 1	Wt. / Ctn. 4 oz.
35-743	Ethylene Glycol	1	4 oz.

Tests freezing levels of all Propylene Glycol and Ethylene Glycol anti-freeze.







Odor Control



SWEET AIR SPRAY[™] Fuel Odor Neutralizer



17

	Cherry Sceniced
tn.	Wt. / Ctn.

Best selling fuel odor neutralizer spray!

14 oz. Aerosol

Units / Ct

Sweet Air Spray is an odor neutralizer with a strong but pleasant cherry scent. This unique product goes to work fast to eliminate unwanted odors for long periods of time.

Stock No.

60-520





SWEET AIR POWDER™

Powdered Odor Remover And Absorbent

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-620	15 oz.	12	13
60-623	5 gal.	1	20
60-622	55 gal.	1	220
60-619 (pelle	ets) 1.5 lb.	12	20
60-624 (pelle	ets) 33 Ib.	1	35

Deodorizes fuel odors. Pleasant cherry scent, absorbs oil, chemicals and all unwanted liquids.





SWEET AIR DEODORIZER™

Concentrated Liquid Heavy Duty Deodorizer And Air Freshener

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-050	5 gal.	1	45
05-051	55 gal.	1	515

Industrial stength odor neutralizer with a strong but pleasant cherry scent. Work fast to eliminate unwanted odors for long periods of time. Safe, economical and easy to use.



CHERRY BOMB[™] Heavy Duty Deodrant Gel Cup



 Stock No.
 Size
 Units / Ctn.
 Wt. / Ctn.

 60-621
 8 oz. gel.
 12
 7

Cherry Bomb is a heavy duty cherry scent deodrant. Ultra longlasting fragrance eliminates unwanted odors for long periods of time. Does not mask over odors with perfume.





ODOR BOMB SERIES[™] Heavy Duty Deodrant Products

Stock No. Size 60-635 8 oz.

Units / Ctn. 12

Wt. / Ctn.









Odor Bomb is an Odor Neutralizer GEL cups with strong but pleasant scent. Comes packed in a counter display box with three each gel cups of cherry, orange, mint and pure air scents.



PURE AIR[™] Odor Neutralizer



Eliminates odors and cleans up all liquid spills. Deodorizes fuel odorsLeaves a mild scent.





ORANGE BOMB SERIES™

Spray, Powder & Pellets Odor Neutralizer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-628	16 oz.w/spray	12	14
60-627	1 lb. Powder	12	13
60-626	1 lb. Pellets	12	13

Eliminates odors and cleans up all liquid spills. Great for hard to reach odors. Leaves a pleasant scent.



ODOR ELIMINATOR™ Heavy Duty Odor Neutralizer

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-215	32 oz. spray	12	20
60-216	1 gal.	4	34

Odor Neutralizer with a strong but pleasant Minty scent. This unique product goes to work fast to eliminate unwanted odors for long periods of time. Safe, economical and easy to use.







Boiler System Treatments



BOILER TREATMENT ™ **Boiler Water Cleaner &** pH Neutralizer

Œ	de		110000	etb.	
D-F	both	-			
		(MILL)	H	И	
Cleane	A pli Neutral	ber (
4	erents Find & Co.	enter _	1000		
	iantali pil seco biodor - Ma C Il Not Swell Soot		-	u.	
1 15	inners pill		-		

Stock No.	Size	Units / Ctn.	Wt. / Ctn
35-135	1 qt.	24	66
35-145	1 gal.	4	60
35-150	5 gal.	1	60
35-160	55 gal.	1	450

Boiler Treatment Cleans boiler water, corrects pH balance and prevents rust and scale. Easy to use with blue color indicator added to show when treatment is complete.



BOILER SYSTEM CLEANER™ New & Old System Cleaner



Boiler System Cleaner effectively cleans dirt, grease, oil and sludge from interior lines and tanks of conventional boiler, heating and snow melt systems. Can be used before introducing water or anti-freeze solution in a new or existing systems.





STEAM CLEAN™

Priming, Foaming, And Surging **Treatment - Color Coded**

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-213	8 oz.	12	8

Steam Clean works like a sponge to absorb any oil, sludge or grease and helps stop priming, foaming, and surging in steam boilers. Color coded to show you when treatment is complete. Use in new or old boiler systems.



AIR GONE™

Air Bubble Eliminator For Hydronic **Systems**

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-340	1/2 gal.	6	32
35-341	1 gal.	4	40

Air Gone removes air from hydronic systems. It will not harm seals. Stops banging sounds in steam lines.





HYDRO LAX™

Hydronic System Seal Cleaner & Lubricant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-335	1 qt,	24	50

Non-petroleum hydronic system cleaner & lubricant for seals & parts. Treat system to prevent formation of blockages and leaks.



HYDRO SEAL™ Hydronic System Sealant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-338	16 oz.	12	13



Seals and prevents leaks in hydronic systems. Non-hazardous and safe on all system components. Fast and easy to use.





LIQUID PLUG™ Liquid Boiler Leak Sealant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
40-135	1 at.	24	55

Liquid Plug seals leaks in boiler and circulating hot water systems. Non-freezing, odorless, and will not harm seals. Just add to boiler water and run system. No flush necessary.



BOILER SEAL POWDER™ Powdered Boiler Leak Sealant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
40-222	14 oz.	12	18

Odorless powder formula. Just add to boiler water and system. Powder will circulate, find and plug the leak. No flush necessary.







Scale & Lime Deposit Removal



LIME DISSOLVER™

Interior Coil Scale Remover

Size	Units / Ctn.	Wt. / Ctn.
1 qt.	12	25
1 gal.	4	39
5 gal.	1	45
55 gal.	1	515
	1 qt. 1 gal. 5 gal.	1 qt. 12 1 gal. 4 5 gal. 1

Lime Dissolver is an industrial strength acid based descaler. Dissolves concrete in floor drains, scale and lime in waste lines. Color indicator to let you know when scale and lime is gone.



LIME DISSOLVER PLUS™

No Fume Scale Remover

Stock No.	Size	Units / Ctn.	Wt./Ctn.
30-355	1 qt.	12	25
30-360	1 gal.	4	34
30-361	5 gal.	1	45
30-363	5 gal. w/color	1	45
30-362	55 gal. ^{& inhibito}	^r 1	515

Dissolves lime and scale in water lines and ice machines. Removes concrete and rust stains. For use in sensitive areas that cannot tolerate irritating fumes.



External Coil Cleaner For Hot Water Coils

Stock No.	Size	Units / Ctn.	Wt. / Ctn.	
35-423	16 oz.	12	30	
35-424	5 gal.	1	45	

Boil A Coil is a broad spectrum, alkaline-based formulation. It is designed to remove lime and scale, corrosion, grease and dirt from the exterior of all types of pipes and boiler coils.



DESCALER "PLUS"™

Tankless Water Heater Descaler

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30 - 370	1 qt.	12	25
30-371	1 gal.	4	38

Descaler "Plus" is specially formulated to descale tankless water heaters. Odorless and color coded for easy to see dosage. Cleans system for the best heat transfer, saves energy.

Refractory Cements, Glue & Leak Detection

FURNACE CEMENT™

Refractory/ Retort Cement



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
40-355	1 pt.	24	50
40-360	1 qt.	12	50
40-365	1/2 gal.	6	54
40-370	1 gal.	4	72
40-371	1 gal. (2 pack)	2	36
40-375	2 gal.	1	37
40-377	5 gal.	1	75

Furnace Cement provides up to 3000° protection. Non-freezing, non-cracking, non-shrinking. Bonds to virtually any material without sagging.



WATER GLASS GLUE™

High Temperature Chamber Glue

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
40-409	8 oz.	24	15
40-410	1 qt.	12	31
40-415	1/2 gal.	6	31
40-417	5 gal.	1	42

High temperature refractory glue to repair and set combustion chambers found in various boilers and furnaces. Economical glue that hardens with heat & time.





LEAK SEEK - HVAC BLUE™

Fast Acting Leak Detector

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-208	1 qt. w/spray	12	24
90-209	1 gal.	4	36
90-210	55 gal.	1	515

Leak Seak is the fastest acting micro leak detector in today's market. Produces a long-lasting bubble wherever a leak is detected.





LEAK SEEK FLUORESCENT YELLOW™

Fast Acting Leak Detector

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
90-203	8 oz.	24	15
90-204	1 qt. w/spray	12	36
90-205	1 gal.	4	36
90-207	55 gal.	1	515

Leak Seek is the fastest acting leak detector for finding micro leaks. Produces a long-lasting bubble wherever a leak is detected. Bright Yellow color makes the leak easy to see under fluorescent lights.







Soot Removers



SOOT CLEANER SPRAY™ Soot Remover Spray

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-620	16 oz. Aerosol	12	12

Allows soot build up to burn off at lower temperatures. Spray into heat transfer chamber area of the heating system, secure the system and then start up. Easy maintenance.



SOOT BROOM™

Soot & Creosole Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-700	18 oz.	12	15

Easy to use crystals for removing soot and creosole build-up in wood burning stoves and fire places. Just sprinkle on an open fire.



CHEM VAC[™] Soot Remover Stick

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-515	114 grams	48	14

Easy to use stick (tubes) for removing soot and creosol build-up in combustion and stack area of a heating system. Just slip through the peep hole of the boiler or furnace and run the system. A great maintenance tool for cleaning soot build-up.



CHEM VAC BUCKETS™

Soot & Cresote Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
35-516	114 grams	48	15

Use Chem Vac to clean heating systems of soot and creosote quickly and efficiently. Comes in a reusable plastic bucket. Contains 48 individual Chem Vac tubes.



Degreasers & Carbon Cleaners



SPRITZ™

Heavy Duty Industrial Oil, Grease & Carbon Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-105	1 qt. w/spray	12	19
55-112	1 gal.	4	33
55-114	5 gal.	1	45
55-115	55 gal.	1	515

Heavy Duty Industrial oil, grease & carbon cleaner. Spritz is a favorite industrial strength cleaning tool throughout the USA and overseas.



GREASE AWAY™

HD Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-130	1 qt, w/spray	12	22
55-131	1 gal.	4	38
55-132	5 gal.	1	45
55-133	55 gal.	1	515

An alternative to Spritz, Grease Away is unmatched in its ability to liquefy, lift and wipe away grease and grime easily. Water soluble, low odor and safe on all hard surfaces.





FOAMY CLEAN™

No Rinse Coil Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
50-099	20 oz. Aerosol	12	16

Foamy Clean is non-corrosive and 100% biodegradable no rinse degreaser. Its fast-acting foam will clean away all grease, grime, dirt, oxidation and oil without the need to rinse with water. Good for hundreds of jobs. It's the only safe way to DEGREASE!



SUPER FANTASTIC FOAM™

Foaming Water Rinse Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-221	16 oz. Aerosol	12	16
55 - 222	1 gal.	4	48
55-223	5 gal.	1	45
55-224	55 gal.	1	515

Super Fantastic Foam Degreaser is non-corrosive and 100% biodegradable. Used for all grease, oil and deodorizing jobs where environmentally safe cleaners are DEMANDED. Lemon scented, heavy foaming, and water rinse formula.







Degreasers & Carbon Cleaners Cont'd



SUPER GREASE CUTTER™

Heavy Duty Mechanical Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-121	16 oz Aerosol	12	16
55-122	1 gal.	4	36
55-123	5 gal.	1	45
55-124	55 gal.	1	515

Comstar's Super Grease Cutter is an USDA registered, bio-safe solvent based mechanical degreaser. Self-rinsing and biodegradable. This product will not contaminate waste oil.



GREASE CUT [™] Heavy Duty Fast Drying Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-120	16 oz. Aerosol	12	17

Grease Cut is a heavy duty very fast drying degreaser with a pleasant smell. No water rinse necessary. It is self-rinsing, non-conductive, non-flammable and fast-drying.



GREASE BLASTER™

Heavy Duty, Light Foaming Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-126	20 oz. Aerosol	12	14

Self-rinsing, odorless, non-freezing and bio-safe. Will not contaminate oil. No odor for sensitive areas and service techs. Not water soluble.



PERCH™

Heavy Duty, Fast Drying All Purpose Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-545	1 gal.	4	48

Perch is a non-flammable all purpose degreaser and mechanical parts cleaner. Removes oil, grease, carbon and grease-bound dirt from machinery parts, motor armatures switches breakers, electrical components and coils.



CONTACT CLEANER™

Electrical Contact Spray Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-620	8 oz. Aerosol	12	14

Contact Cleaner is a burnishing cleaner with high dielectric strength for electrical contact cleaning. Fast drying, old classic.



GLASS LIKE NEW™

Ammonia Free Industrial Glass Cleaner

Stock No.	Size	Units / Ctn.	Wt./Ctn.
02-150	16 oz. Aerosol	12	19

Designed for professionals and DYI perfectionists who demand professional results! Removes bugs, dirt and stubborn stains easily CONTAINS NO AMMONIA.



Hand Cleaners



SHAKE IT™

Powdered Hand Soap

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
50-120	18 oz.	12	27
50-135	5 lbs.	6	33
50-155	50 lbs.	1	53
50-160	100 lbs.	1	108

High quality powdered hand soap. Wash with water. Will not sting on broken skin.



TOTAL IN THE STATE OF THE STATE

QUICK CLEAN™

Liquid Hand Soap, Gel or Pumice Formula

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
50-224	16 oz. Smooth	12	14
50-225	1 gal. Smooth	4	34
50-226	Gel 16 oz. w/pumice	12	14
50-227	1 gal. 6 . 5	4	34

Waterless rinse, heavy duty and cleaner. Removes grease, carbon, oil, ink & dirt with lemon scent.







Drain & Waste Line System Cleaners



HOT POWER™

Profesional Sulfuric Acid Drain Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-135	1 qt.	12	50
30-140	1/2 gal.	6	50
30-145	1 gal.	4	64

No. 1 Acid Drain Opener

Hot Power is a concentrated, virgin sulfuric acid drain pipe cleaner. Contains a metal corrosion inhibitor package to protect metal pipes. Childproof cap and packed in protective plastic bag.



BLOW-OUT™

Non-Acid Drain Cleaner, Industrial Strength

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-475	1 qt.	12	31
30-480	1/2 gal.	6	32

Blow Out is the strongest non-acid liquid drain cleaner on the market. It's the non-acid answer for unclogging drains without damaging disposals, pipes, porcelain, or septic tanks.





PIRANHA™

Crystal Non-Acid Drain Opener

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-599	1 lb.	12	13
30-600	2 lb.	12	25
30-601	17 l b.	1	18

Piranha is an odorless crystal flake, non-acid drain cleaner. White crystals can be diluted to any strength. Safe in all pipes.



PIRANHA II™

Crystal Non-Acid Drain Opener With Aluminum Chips


Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-604	1 lb.	12	13
30-603	17 lb.	1	18
30-605	50 lb.	1	50

Odorless, cold water formula that generates heat when Piranha II comes in contact with water. Fast breakup of drain clogs. Nonfuming and safe on metal and plastic.





Bead Drain Cleaner 99.9% Pure Lye



Pure Lye's unique white beads are odorless, non-acidic and very strong. Safe on fine fixtures, chrome, metal and plastic pipes, septic tanks and cesspool systems. Perfect for screen drain covers to disslove grease, hair & more!



Comstar PURE LYE

PURE LYE FLAKES™

Flakes For Soap Making

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-525	1 lb.	12	12
30 - 527	17 lb. pail	1	20
30 - 528	43 lb. pail	1	44
30-529	400 lb. drum	1	410

Pure Lye Flake is a favorite among many soap makers. It does not create the static other forms of lye produce when making custom products.





COMMERCIAL LYE™

Bead Size Drain Opener With Blue Dye

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-620	2 lb.	12	24

White, non-acid beads make it easy to pour down screened drains. It contains blue dye for easy flow detection. Fast, safe, non-acid, non-fuming. Safe in all pipes.



MUNCH™

Bead Size Drain Opener With Blue Dye and Aluminum Chips

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-610	1 lb.	12	13
30-611	2 lb.	12	25
30-612	17 lb.	1	18

Munch creates its own heat when warm water is not available. Clears drains, grease traps, septic systems and roots. Bead sized sodium hydroxide with blue dye makes Munch easy to detect.







Drain & Waste Line System Cleaners Cont'd



PLUMBERS PLUNGER™

Liquid Drain Opener, Non-Acid

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-700	1 qt.	12	26
30-710	1/2 gal.	6	24

Plumber's Plunger is a biodegradable, non-acid liquid. Pours through standing water to free clogged drains and cuts through grease, soap and other organic matter.



SHINY BOWL™

Professional Toilet Bowl Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-705	1 qt.	12	25

Shiny Bowl is a professional toilet bowl cleaner. Colored viscous fluid clings to bowl as it dissolves scale, removes heavy mineral bowl stains, dirt and grime.



Scale & Lime Removers



LIME DISSOLVER™

Scale Remover

Stock No.	Size	Units / Ctn.	Wt./Ctn.
30-350	1 qt.	12	25
30-345	1 gal.	4	39
30-351	5 gal.	1	45
30-352	55 gal.	1	515

Lime Dissolver is an industrial strength acid based descaler. Dissolves concrete in floor drains, scale and lime in waste lines. Color indicator to let you know when scale and lime is gone.



LIME DISSOLVER "PLUS"™

No Fume Scale Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-355	1 qt.	12	25
30-360	1 gal.	4	40
30-361	5 gal.	1	45
30-362	55 gal.	1	515

Dissolves lime and scale in waste lines and cleans shower and bath fixtures. Use in areas where fumes are to be avoided.

Septic Tank & Cesspool Cleaners



MICRO SURGE™

Bacteria Promoter For Septic Tank & Cesspool

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-720	18 oz.	12	14

Micro Surge's unique, heavy-duty formula encourages bacterial activity in septic tanks and cesspools to increase waste digestion.



SEPTIC TANK & CESSPOOL CLEANER™

Crystal Septic Tank & Cesspool Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-648	5 lb.	6	32
30-650	17 lb.	1	19

Industrial strength Septic Tank & Cesspool Cleaner opens clogged grease traps, septic tanks and cesspool pipes and lines by rapidly liquefying solid organic matter.





Liquid Septic Tank & Cesspool Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-235	1 qt.	12	14
30-245	1 gal.	4	40

Clears cesspools, drain lines, and grease traps. Fast and very effective.





SEPTIC SOAP DIGESTER™

Soap Liquefier

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
30-655	1 qt.	12	35
30-656	1 gal.	4	40

Fast and steady action to liquefy soap detergent and foam buildup in septic systems.







"No Heat" Solder & Thread Locker





1. Apply.

2. Bond!



COPPER LOCK[™] No Heat Solder For Copper

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
10-800	2 oz. Display	18	5
10-801	10 ml. Clear Hang B	12 ox	3

- Permanently bonds copper piping!
- No soldering or brazing necessary
- Creates a permanent leakproof seal
- Can withstand pressures at 10,000 PSI flow and 500 PSI contained
- Withstands temperatures from -60°F to +300°F

Copper Lock is revolutionizing the way pipes are soldered. Simply apply inside the connector, fit in the pipe and within seconds a permanent leak proof seal will occur.

Recommended for copper that come in contact with acid, air, alkalines, brine, caustics, gasoline, kerosene, oil, refrigerants, solvents, steam, water and more.







1. Apply.

2. Bond!

METAL LOCK BLACK[™] No Heat Solder For All Metals

Stock No. Size Units / Ctn. Wt. / Ctn. 10-900 2 oz. Display 18 5



Metal

nstantly!

- Permanently joins any type of metal
- · No soldering or brazing necessary
- Can be used on mis-matched, threaded or unthreaded piping
- Use on aluminum, copper, brass, black iron, steel and more!

Metal Lock Black is the easy, safe answer to join any type of metal pipe and fitting together permanently without hot soldering or brazing.

Recommended for metals that come in contact with acid, air, alkalines, brine, caustics, gasoline, kerosene, oil, refrigerants, solvents, steam, water and more.



THREAD LOCKER™

Screw, Nut and Stud Locker

 Stock No.
 Size
 Units / Ctn.
 Wt. / Ctn.

 10-808
 2 oz.
 18
 3

- Prevents nut, bolt and screw from loosening
- Operates in temperatures -60°F to +300°F
- Meets U.S. military specifications

Permanent, high strength metal thread locker. Eliminates need for double nutting and welding. Prevents corrosion and leakage. Good on oily surfaces.



METAL EPOXY™

Patch and Repair Epoxy Filler

 Stock No.
 Size
 Units / Ctn.
 Wt. / Ctn.

 00-200
 25 ml.
 12
 3



Fills holes and cracks. Bonds to metal, wood, plastic, glass and rubber. No heat required; hardens in 5 minutes. Easy to use, unique syringe applicator.





Flux & Pipe Soldering Coolant



PIPE COOL™

Pipe Soldering & Brazing Coolant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
15-130	1 qt. sprayer	12	24

Pipe soldering and brazing coolant. Pipe Cool is a gel that prevents heat from damaging nearby heat sensitive controls, fittings, valves or materials while soldering and brazing.

PERMA FLUX[™] Self-Cleaning Soldering Flux



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
15-115	8 oz.	24	15
15-117	16 oz.	24	25

Professional non-corrosive, non-freezing flux. Does not contain lead or solder. Cleans surface for bonding.

Pipe Thread Sealants



MULTI SEAL™

Teflon Pipe Joint Sealant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
10 - 315	1/4 pt.	24	10
10-325	1/2 pt.	24	21
10-330	1 pt.	12	22
10-335	1 at	12	42

Teflon, non-hardening, anti-seize, all-purpose pipe joint compound and gasket cement. Not for oxygen lines. Traditional white industry standard.

Lock John State St

LOCK JOINT™ Blue Pipe Joint Sealant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
10-614	2 oz.Tube	12	3
10-615	1/4 pt.	24	12
10-625	1/2 pt.	24	22
10-635	1 nt	12	22

Good for oil, gasoline, water, steam, natural gas and refrigerants. Will not drip or spill. Locks without hardening. Pro's choice.

Plastic Pipe Cement, Primers & Cleaners



PVC CEMENT™

Low V.O.C. Cement for PVC Pipe & Fittings

Stock No.	Size	Units / Ctn.	wt./Ctn.
20-115	1/4 pt.	24	10
20-125	1/2 pt.	24	16
20-130	1 pt.	12	14
20-135	1 qt.	12	27
20-145	1 nal	4	35

Fast-setting, medium viscosity, high strength cement. Recommended for schedule 40 PVC pipe up to -4°F. Meets ASTMD-2564. Winter grade.



ALL PURPOSE CLEANER™ Cleaner for PVC, ABS & CPVC Pipe & Fittings

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
20-715	1/4 pt.	24	9
20-725	1/2 pt.	24	15
20-730	1 pt.	12	14
20.735	1 at	12	25

Recommended for ABS, CPVC and PVC pipe where primer is not required.

CPVC-PVC PRIMER™

PVC & CPVC Primer With Dauber

_	1	Ē		
i	Constitu		.569	FREE
	CPV	C-I	W	}
	Prir	ner		
0	• Meets	ASTM F	r-656	
	• Appror Water	ed for l Drain	Use in P Waste &	otable Vent Syst
00		MAN CALLS		

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
20-615	1/4 pt.	24	9
25-625	1/2 pt.	24	15
20-630	1 pt.	12	14
20-635	1 at.	12	25

CPVC - PVC Primer is a Low V.O.C., high tech primer that cuts gloss and softens surface prior to cementing. Eliminates air bubbles in PVC/CPVC cements to allow for permanent bond. Meets ASTM F-656.

Penetrating, Lubricating & Water Displacing Oils

(For refrigeration oils see A/C & Refrigeration section)



MONKEY WRENCH™ Industrial Penetrant Nut Buster

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-120	14 oz. Aerosol	12	13



Penetrates to loosen rusted nuts, bolts and screws. Lubricates and protects with silicone coating. The original all purpose penetrating and lubricating service tool with a ppleasant banana scent.



SILICONE SPRAY ™ Silicone Aerosol Spray

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-810	12 oz. Aerosol	12	13

Stops squeaks. Lubricates and waterproofs. Food grade. Long lasting coat.



LUBE TUBE™

All Purpose Lubricating Oil with Telescopic Spout

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-315	4 oz.	24	14

(Point Of Purchase Display)

All purpose lubricating oil with telescopic spout for hard to reach places.

FAUCET & VALVE STEM LUBRICANT™

Lubricant For Faucets and Valve Stems

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-900	4 oz.	12	10

Lubricant for faucets and valve stems. Long-lasting, waterproof and adheres where applied.





ELECTRIC MOTOR OIL™ Non-Detergent Electric Motor Oil

Stock No.	Size	Units / Ctn.	Wt. / Ctr
45-425	8 oz.	24	20
45-430	1 pt.	24	37
45-435	1 qt.	24	56
45-440	1 gal.	4	56

High Quality, time tested. Good for all make and models of electric motors.



BEARING ASSEMBLY OIL™ Oil For Bearing Assemblies

Stock No.	Size	Units / Ctn.	Wt./Ctn.
45-525	8 oz.	24	15
45-530	1 pt.	24	40
45-535	1 qt.	24	50
45-540	1 gal.	4	52

Prevents gumming, SAE 20 weight, AGMA #2. Good for all types of bearing assemblies for standard operation parameters.



OIL IN ONE™

Cutting Oil - Dark & Clear



	_		
Stock No.	Size	Units / Ctn.	Wt. / Ctn.
Oil In One-D	ark		
45-635	1 qt.	24	64
45-645	1 gal.	6	53
45-650	5 gal.	1	50
45-665	55 gal.	1	515
Oil In One-C	lear		
45-735	1 qt.	24	64
45-745	1 gal.	6	53
45-750	5 gal.	1	50
45-765	55 gal.	1	515

Industry Standard

All purpose, thread cutting oil for high speed machine or hand tool cutting. Extends tool life 3 times normal usage.



VACUUM PUMP OIL™

Lubricating Oil For Air Compressors & Vacuum Pumps



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
45-785	1 qt.	24	50
45-790	1 gal.	4	33
45-795	55 gal	1	515

(Other SAE Weights Available)

Biodegradable, oil turns to rubber mat for easy pick up. Just sprinkle powder onto oil. Works great to pick up oil mixed with water in sump pump collection point.







Precision & Mechanical Parts

Cleaning Selection Guide

Article Cleaned	Soil Removed	Cleaning Method	Cleaner	рН
Bearings Metal Housings Gear Box/ Components Broke Components	• Greases • Oils	1. Manual, soak, clean-in-place	1. All Clean Grease Away Green Clean Power Clean Mo Clean Spritz SFF-10	6 12 10 10 10 5 9
Brake Components Metal Components Metal Parts Engine Parts Motor Armature Train Boggy	 Grime build-up Oxidation General soiling Carbon 	2. Ultrasonic ULTRASONIC CLEANER 3. Powerwash, jetspray	Boggy Clean 2. Ultra Clean Green Clean 3. Metal Clean Super Clean Power Clean Zip Clean - 100 Boggy Clean	13 9 10 2 9 10 12
Aluminum All parts & components made of or containing aluminum.	• Greases • Oils • Grime • General soiling • Carbon	All cleaning methods	Super Clean Power Clean Mo Clean Ultra Clean Green Clean SFF-10AL	9 10 10 10 10 10
Ceramic All parts & components made of or containing ceramic.	General soiling& stainsOilCarbon	All cleaning methods	Renew Sky Blue SFF-10 TB	4 5 4
Plastic All parts & components made of or containing plastic.	General soiling& stainsOilGrime	All cleaning methods	KymKare KymKare-Plus Green Clean	10 10 10
Painted Parts Heavy duty cleaning without removing paint. Note: For paint stripping use ComStar Paint Strip or ComStar Paint Remover	 Greases Oils Carbon Grime General soiling 	1. Manual, soak, clean-in-place 2. Ultrasonic 3. Powerwash, jetspray	1. Sky Blue SFF-20 Green Clean Power Clean Mo Clean 2. Ultra Clean 3. Super Clean Power Clean Zip Clean Boggy Clean	5 9 10 10 10 9 9 10 13
Glass Glass parts, lenses. Train, plane & truck windows.	 Oils Acid rain stains General soiling 	Manual, soak, clean-in-place	Sky Blue Ultra Clean Glass Like New! Windshield Wash Fluid	5 9 7 7







Precision & Parts Cleaners



SFF-20[™] Heavy Duty Mechanical Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-300	1 gal.	4	34
55-301	5 gal.	1	45
55-302	55 gal.	1	515

Water Soluble

Mechanical parts and general purpose cleaner and degreaser. Low-foam, safe on all surfaces. Can be used in steam machines for carpet/seat cleaning.



ALL CLEAN™

Heavy Duty, Non-Flammable Kerosene Replacement Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55 - 058	1 gal.	4	34
55-023	5 gal.	1	45
55-025	55 gal.	1	515

Odorless Formula

Leaves a corrosion protection barrier, non-acid, non-alkaline, no odor. Ideal for dip or brush application. Not water soluble.





POWER CLEAN™

Heavy Duty Jet Spray Machine Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-033	1 gal.	4	34
55-032	5 gal.	1	45
55 - 034	55 gal.	1	515

Water Soluble

Safe on all surfaces and metals. Very effective on caked on dirt, grease and grime. Long-lasting, low foam. Safe on aluminum parts.



SUPER CLEAN™

Heavy Duty Jet Spray Machine Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-011	1 gal.	4	34
55-012	5 gal.	1	45
55-013	55 gal.	1	515

Water Soluble

Mild alkaline mechanical parts cleaner/ degreaser. Safe on all metals and paints, especially effective on bearings. Long-lasting, low foam. Safe on aluminum parts.





ZIP CLEAN™

Heavy Duty General Purpose Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-057	1 gal.	4	34
55-005	5 gal.	1	45
55 021	55 gal	1	515

Water Soluble

Jet spray machine or dip cleaner & degreaser. Caustic base, yet safe on all surfaces except aluminum.



TANK PART OF THE P

ZIP CLEAN 100™

Concentrated Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-000	1 gal.	4	34
55-003	5 gal.	1	45
55-009	55 gal.	1	515

Water Soluble

Zip Clean 100 is a concentrated multi-use parts cleaner, metal degreaser and carbon cleaner. Zip Clean 100 can be used both in a dip or manual brushing process.





ULTRA CLEAN™

Ultrasonic Machine Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-014	1 gal.	4	34
55-017	5 gal.	1	45
55-018	55 gal.	1	515

Water Soluble

Mild alkaline parts cleaner and degreaser for ultrasonic machines. Safe on all surfaces.





NEUTRA CLEAN™

Neutral pH Industrial Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-135	5 gal.	1	45

Water Soluble

Heavy duty, non-corrosive and 100% biodegradable. Use to clean away heavy build-up of grease, grime, oil and carbon where environmentally safe industrial cleaners are demanded.





Precision & Mechanical Parts



Precision & Parts Cleaners



SPRITZ™ **Heavy Duty Degreaser**

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-105	32 oz. spray	12	30
55-112	1 gal.	4	34
55-114	5 gal.	1	45
55-115	55 gal	1	515

Heavy Duty Industrial Oil, Grease & Carbon Cleaner. Spritz is a favorite industrial strength cleaning tool throughout the USA and overseas.



SFF-10 TB™

HD Exterior Body Cleaner & Iron Stain Remover For Trains & Buses

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-226	1 gal.	4	34
55-227	5 gal.	1	45
55-228	55 gal.	1	515

Water Soluble

Dilute 100 to 1. Low foam safe on painted and metal surfaces. Citrus base formula. Removes rust stains.





SFF-10™ Water Soluble Bio-Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-230	5 gal.	1	45
55-231	55 gal.	1	515

SFF-10 Bio-Cleaner is non-corrosive and 100% biodegradable. Use to clean away all grease, oil and carbon and to deodorize areas where environmentally safe cleaners are demanded.



SFF-10 AL™

HD Exterior Body Cleaner & Iron Stain Remover For Trains & Buses

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-606	5 gal.	1	45
55-008	55 gal.	1	515



Dilute 80 to 1. SFF-10 AL is specially formulated to be used on steel and aluminium bodies and surfaces.





FIBER GLASS SHEEN™

Fiber Glass Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
56-200	24 oz. w/spray	12	22

Restores luster to fiber glass, acrylic, plastic, PVC, ABS, polished marble, stainless steel, formica & chrome.



WINDSHIELD WASH FLUID™

Premium Winter Grade

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
02-110	1 gal.	4	35
02-111	55 gal.	1	515



Windshield Wash Fluid is a no-freeze, professional windshield washer fluid. Cleans away bugs and bird debris.





GLASS LIKE NEW™

Ammonia Free Industrial Glass Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
02-150	19 oz. Aerosol	1	16

Designed for professionals and DIY perfectionists who demand professional results! Removes bugs, dirt and stubborn stains easily CONTAINS NO AMMONIA.



GLASS CLEANER™

Professional Series Glass Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
02-100	1 qt. w/spray	12	15
02-101	1 gal.	4	32

Professional formula for fast and easy clear glass & mirrors. Non-flammable & non-toxic. Ready to use.









Wt. / Ctn.

34

45

515

Precision & Parts Cleaners



KYMCARE™

General Purpose Alkaline Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-056	1 gal.	4	34
55-002	5 gal.	1	45
55-010	55 gal.	1	515

Water Soluble

Good on tiles, floors, counters & public areas. Can be used in steam machines.



For very dirty parts and public areas. Can be used as a dip parts cleaner or general purpose heavy duty oil and grease cleaner.

KYMCARE "PLUS"™

Size

5 gal.

55 gal.

General Purpose Caustic Cleaner

Units / Ctn.





GREEN CLEAN™ All Purpose Power Spray Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctr
55-059	1 gal.	4	34
55-043	5 gal.	1	45
55-045	55 gal.	1	515

Water Soluble

All-purpose cleaner/ degreaser for power spray, dip or brush cleaning of carbon, grease & grime.



MO CLEAN™

55-055

55-001

55-019

Traction Motor Cleaner



Fast, effective & economical. Cleans away oil, grease and road





METAL CLEAN™ Rust & Oil Remover And Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
70-209	1 gal.	4	34
70-210	5 gal.	1	45

A multi-purpose rust and oily grime remover. Removes rust build-up and oil based grime fast. Safe on most painted and unpainted hard surfaces except unpainted aluminum.



BOGGY CLEAN™ Train Boggy Assembly Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-050	5 gal.	1	45
55-071	55 gal.	1	515



Long lasting in both dip and jet spray machines. Heavy duty concentrated caustic cleaner.





PAINT & GRAFFITI STRIP™ **Heavy Duty Paint & Graffiti Stripper**

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-027	1 gal.	4	34
55-028	5 gal.	1	45
55-039	55 gal	1	515

Water Soluble

Heavy duty industrial paint and graffiti remover. Especially effective on non-conductive paints. Biodegradable, not hazardous.



PAINT OFF #3™ **Heavy Duty Paint Stripper**

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-066	1/2 gal.	4	34
55-067	5 gal.	1	45

Water Soluble

Removes the hardest and most durable paints. Its thick viscosity prevents dripping. It can be brushed on vertical surfaces without running off.





Precision & Mechanical Parts



Precision & Parts Cleaners



PAINT REMOVER™ Heavy Duty Paint Stripper

Stock No.	Size	Units / Ctn.	Wt./Ctn.
55-030	5 gal.	1	45
55-029	55 gal.	1	515

Water Soluble

Removes oil, acrylic, & water based paints fast. Bio-degradable, not hazardous.



- STATE OF THE STA

PAINT REMOVER ADDITIVE™ Paint Strip Booster

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-044	5 gal.	1	45

Paint Remover Additive is an environmentally safe and very effective paint strip booster. It can be added to our product Paint Remover to extend its effectiveness.





WHITE BRITE™ Exterior Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn
70-212	1 gal.	4	34
70-213	5 gal.	1	45
70-216	55 gal.	1	515

White Brite is super concentrated iron, rust and dirt stain cleaner for most hard wall exterior surfaces. safe on most metals, ceramics, seal materials and painted surfaces.



RENEW™

Ceramic Cleaner & Rust Remover

Stock	No. S	ize	Units / Ctn.	Wt. / Ctn.
70-19	9 32	2 oz. spray	12	30
70-19	8 8	l gal.	4	34
70-20	00 !	5 gal.	1	45
70-20)2 5	5 gal.	1	515

Fast, effective & economical. Cleans away rust, rust stains, surface dust and grime.



RENEW CONCENTRATE™

Super Concentrate Rust and Iron Stain Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
70-201	5 gal.	1	45

A multi-purpose rust and oily grime remover. Removes rust build-up and oil based grime fast. Safe on most painted and unpainted hard surfaces except unpainted aluminum.



RENEW CREAM™

Multi-Purpose Hard Surface Cleaner & Brightener

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
70-235	3 lb.	6	18
70-226	5 gal.	1	45
70-227	55 gal.	1	515

Renew Cream is easy to spread and will not run. Its a multi-purpose, rust and iron powder stain remover that cleans away dirt, rust and stains in seconds.



GREASE AWAY™ Heavy Duty Degreaser

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-130	32 oz. spray	12	30
55-131	1 gal.	4	34
55-132	5 gal.	1	45
55-133	55 gal.	1	515

Grease Away is unmatched in its ability to liquefy and lift greasy grime to allow it to be wiped away easily. It cuts through greasy build-up fast and works well on hundreds of applications



SKY BLUE[™] Rust, Iron & Grime Stain Remover

/	01 1 11	0.	11.31.70	14/1 / 01
	Stock No.	Size	Units / Ctn.	Wt. / Ctn.
	70-204	1 gal.	4	34
	70-205	5 gal.	1	45

Sky Blue is a multi-purpose, ready-to-use, viscous, rust and iron stain remover. Rust or corrosion will not return. Removes discoloration FAST. Great for horizontal surfaces.





Transportation



Engine, Car & Truck Body Cleaners



GREASE GONE™

Heavy Duty Solvent-Based Engine & Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-069	5 gal.	1	45
05-062	55 gal.	1	450

Engine and mechanical parts cleaner can be cut with mineral spirits or kerosene.



STEAM AWAY™

HD Water-Based Engine & Parts Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-061	55 gal.	1	450

Water Soluble

Strong water-based steam cleaner for engines. Very economical.





MULTI CLEAN™

Stainless Steel & Aluminum Brightener

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-065	5 gal.	1	45
05-066	55 gal.	1	450

Water Soluble

Cleans and brightens chrome, stainless steel and aluminum wheel accessories, truck bodies and parts fast and effectively.



Washington to the state of the

CAR WASH DETERGENT™

Super Penetrating Car Wash Soap

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-063	5 gal.	1	45
05-064	55 gal.	1	450

Water Soluble

Economical and effective car wash detergent with stable foam for high shine. For friction & frictionless systems. 55 gallons cleans 8,000 + cars.





desired strength.

DEGREASE 40+™

Low Foam Truck Body Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-060	55 gal.	1	450



TRUCK WASH DETERGENT™ HD Exterior Truck Body Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-075	1 gal.	4	34
05-077	55 gal.	1	450

Water Soluble

Strong and effective exterior truck body cleaner and degreaser. Dilute with water to desired stength.





ALUMINUM & STAINLESS STEEL TRUCK CLEANER™

Heavy Duty Exterior Truck Body Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
05-075	1 gal.	4	34
05-077	55 gal.	1	450

Water Soluble

Water Soluble

Degrease 40+ is a low foam alternative but strong and effective exterior truck body cleaner and degreaser. Dilute with water to

Strong and effective exterior truck body cleaner and degreaser. Dilute with water to desired stength.



Management of the control of the con

STAINLESS STEEL TRAIN CLEANER™

Exterior Stainless Steel Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
70-217	5 gal.	1	45

Stainless Steel Train Cleaner is a multi-purpose, rust, iron powder and dirt remover that cleans fast and safely. Designed to be used on all types of exterior panels and surfaces.





Transportation



Train & Bus Body Cleaners

SFF-10™

Water Soluble Bio-Cleaner



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-230	5 gal.	1	45
55-231	55 gal.	1	515

SFF-10 Bio-Cleaner is non-corrosive and 100% biodegradable. Use to clean away all grease, oil and carbon and to deodorize areas where environmentally safe cleaners are demanded.





SFF-10 AL™

HD Exterior Body Cleaner & Iron Stain Remover For Trains & Buses

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-606	5 gal.	1	45
55-008	55 gal.	1	515

Water Soluble

SFF-10 AL is specially formulated to be used on unpainted metal, aluminium, stainless steel and chrome transportation vehicle bodies



SFF-10 TB™

HD Exterior Body Cleaner & Iron Stain Remover For Trains & Buses



Water Soluble

Dilute 100 to 1. Low foam, safe on painted and metal surfaces. Citrus base formula.



Vinyl & Leather interior Cleaner

The state of the s

Best All Around

R22 Alternative!

VINYL ARMOR™

Interior Shine Protectant

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
71-048	32 oz. w/spray	12	25
71-049	1 gal.	4	34
71-050	5 gal.	1	45
71-051	55 gal.	1	515

Protects interior and exterior vinyl, rubber and plastic. Makes it



Indoor Air Quality

SWEET AIR POWDER™

Powdered Odor Remover And Absorbent

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
60-620	15 oz.	12	13
60-623	5 gal.	1	20
60-622	55 gal.	1	220
60-619 (pell	ets) 1.5 lb.	12	16
60-624 (pelle	ets)33 lb.	1	35

Deodorizes fuel odors. Pleasant cherry scent, absorbs oil, chemicals and all unwanted liquids.



OdorBomby

ODOR BOMB SERIES™

Heavy Duty Deodrant Products



Stock No.



Size



Units / Ctn.



Wt. / Ctn.

Odor Bomb is an Odor Neutralizer GEL cups with strong but pleasant scent. Comes packed in a counter display box with three each gel cups of cherry, orange, mint and pure air scents.



RS-44b[™]

(R453A) R22 Drop In Replacement Refrigerant

Stock No.	Size	Units /Ctn.	Wt./Ctn.
80-160	24 lb.	1	29
80-161	125 lb.	1	180
80-162	1000 lb.	1	1335

- For high, medium and low temperature systems down to -20°F evaporating temp
- No oil or component change required
- RS-44b operates at a similar discharge pressure as R22 and lower discharge temperature
- Compatible with mineral, AB & POE oils
- Closest match to R22 in the market

Zero ozone depleting RS-44b operates at equal cooling capacity of R22 in both A/C and refrigeration applications. Its COP is equal to R22. Low GWP (global warming potential) of 1636 AR5.





Transportation



45

515

Tire & Car Wash Cleaners



CLEAN KING™

Heavy Duty Cleaner For Interior Car Wash Walls

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
70-101	1 gal.	4	34
70-102	5 gal.	1	45
70-103	55 gal.	1	515

Cleans and renews car wash walls and equipments. Also good for hundreds of other cleaning applications. Dilute with water to desired strength



HD DRYING / RINSE AID™

Fast Dry & Shine Rinse Aid

Stock No. Size Units / Ctn. Wt. / Ctn.

5 gal.

55 gal.

Premium fast breaking dying agent that add shines. Speed dries 20,000 cars.

05-069

05-070



TIRE RIM CLEANER™

Heavy Duty Non-Acid Tire & Rim Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
71-108	5 gal.	1	45
71-110	55 gal.	1	515

Non-Acid

Heavy duty and non-acid concentrate. Fast acting cleaner for all tire rims. Professional car wash rim cleaner.



TIRE RIM CLEANER™

Heavy Duty Acid Based Tire & Rim Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
71-105	5 gal.	1	45
71-104 (Reg.)	55 gal.	1	515
71-109(HD)	55 gal.	1	515

Acid Based

Acid based, professional car wash rim cleaner. Used for over 30 years in the industry. Fast acting on all hard surfaces.



Tire Shine Products

TIRE DRESSING PROTECTANT - WINTER GRADE™

Silicone Protectant For Rubber & Vinyl For Winter

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
71-097	5 gal.	1	45
71-102	55 gal.	1	515

Solvent Type

Lessens slippery footing. Fast drying formula for cold weather. Solvent based.

TIRE DRESSING PROTECTANT ALL SEASON GRADE™ Column Production From



Solvent Based Protectant For Rubber & Vinyl

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
71-095	1 gal.	4	34
71-096	5 gal.	1	45
71-100	55 gal.	1	515

Solvent Type

Industrial standard, solvent-based rubber & vinyl protectant. Leaves a long-lasting shine.

TIRE DRESSING PROTECTANT - DELUXE GRADE™

Silicone Protectant For Rubber & Vinyl With Extra Silicone

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
71-096	5 gal.	1	45
71-103	55 gal	1	515

Solvent Type

Extra silicone formula for an extra long-lasting shine. Recommended for summer months. Solvent based.



TIRE DRESSING PROTECTANT - ALL SEASON GRADE ™

Silicone Protectant For Rubber & Vinyl For All Seasons

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
71-099	5 gal.	1	45
71-101	55 gal.	1	515

V.O.C. Compliant Type

Silicone based rubber & vinyl protectant. Leaves a long-lasting shine. Both solvent and V.O.C. compliant based products.

Masonry Cleaners

MURIATIC ACID 20 DEGREE ™



32% Muriatic Acid Concrete, Metal & Tile Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
56-106	32 oz.	12	30
56-108	1 gal.	4	34
56-107	5 gal.	1	45
56-109	55 gal.	1	515

Muriatic Acid 20 Degree is fast acting for professional use, designed to clean concrete, metal and tile. Muriatic Acid 32% strength is the strongest version available.

MURIATIC ACID 20%™



20% Muriatic Acid Concrete, Metal & Tile Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
56-110	1 qt.	12	12
56-112	1 gal.	4	34
56-113	5 gal.	1	45
56-114	55 gal.	1	515

Muriatic Acid is fast acting for professional use. Concrete, Metal & Tile Cleaner.



NO RUN™

Brick & Masonry Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
56-115	1 gal.	4	40
56-116	5 gal.	1	45

No Run Brick & Masonry Cleaner removes excess mortar and dirt from masonry, concrete & brick. Designed to remain in place where applied without run off like straight muriatic acid.

RENEW™

Ceramic Cleaner & Rust Remover



Fast, effective & economical. Cleans away oil, grease and road grime.



WHITE BRITE™

Exterior Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
70-212	1 gal.	4	36
70-213	5 gal.	1	45
70-216	55 gal.	1	515

White Brite is a super concentrated iron, rust and dirt stain cleaner for most hard wall exterior surfaces. Safe on most metals, ceramics, seal materials and painted surfaces.

REVIVE or REFRESH™

Exterior Building & Tile Cleaners



Stock No.	Size	Units / Ctn.	Wt. / Ctn.
REVIVE (N	O FOAM)		
70-230	5 gal.	1	45
REFRESH ((FOAMING)		
70-225	5 gal.	1	45

Heavy duty, low acid cleaner and brightener. Removes rust, dirt, and grime easily. Revive cleans without generating foam. Refresh's penetrating foam penetrates dirt for easy rinsing.



WATER REPELLANT FINISH REMOVER™

Water Repellant Coating Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-100	32 oz. w/spr	ay 12	24
55-102	1 gal.	4	35
55-103	5 gal.	1	45
55-104	55 gal	1	515

Water Repellant Finish Remover is the only effective cleaner on the market designed specially to remove water repellent finishes from unwanted over spray and spills.



POWDERED CONCRETE CLEANER™ HD All Purpose Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctr
05-072	5 gal.	1	45
05 070	EE 1	4	EAE

Heavy Duty Powdered Concrete Cleaner helps to clean concrete & masonry floors, walls, equipment and even tire rims. Add to water.



Masonry & Metal Cleaners



SKY BLUE™

Rust, Iron & Grime Stain Remover

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
70-204	1 gal.	4	34
70-205	5 gal.	4	45

Sky Blue is a multi-purpose, ready-to-use, viscous, rust and iron stain remover. Rust or corrosion will not return. Removes discoloration FAST. Great for horizontal surfaces.



RENEW CREAM™

Multi-Purpose Hard Surface Cleaner & Brightener

Stock No.	Size	Units / Ctn	Wt. / Ctn.
70-235	3 lb.	6	18
70-226	5 gal.	1	45
70-227	55 gal.	1	515

Renew Cream is an easy to s pread, multi-purpose, rust and iron powder stain remover that cleans away dirt, rust and stains in seconds.

Paint Removers



PAINT & GRAFFITI STRIP™

Heavy Duty Paint & Graffiti Stripper

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-027	1 gal.	4	34
55-028	5 gal.	1	45
55-039	55 gal.	1	515

Water Soluble

Heavy duty industrial paint remover. Especially effective on non-conductive paints. Biodegradable, not hazardous.



PAINT REMOVER™

Heavy Duty Paint Stripper

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-030	5 gal.	1	45
55-029	55 gal.	1	515

Water Soluble

Removes oil, acrylic, & water based paints fast. Bio-degradable, not hazardous.





PAINT OFF #3™

Heavy Duty Paint Stripper

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
55-066	1/2 gal.	4	34
55-067	5 gal.	1	45

Water Soluble

Removes the hardest and most durable paints. Its thick viscosity will prevent it from dripping. It can be brushed on vertical surfaces without running off.



PAINT REMOVER ADDITIVE™ **Paint Strip Booster**



Stock No. Size Wt./Ctn. Units / Ctn. 55-044 5 gal. 45

Paint Remover Additive is an environmentally safe and effective paint strip booster. It can be added to Paint Remover to extend its effectiveness.





GLASS LIKE NEW™

Ammonia Free Industrial Glass Cleaner

Stock No.	Size	Units / Ctn.	Wt. / Ctn.
02 - 150	16 oz.	12	19

Designed for professionals and DYI perfectionists who demand professional results! Removes bugs, dirt and stubborn stains easily. CONTAINS NO AMMONIA.



REAL KILL™ Wasp & Hornet Killer Spray

Stock No. Units / Ctn. Wt. / Ctn. 13 90-380 15 oz. Aerosol

Shoots a 10 foot stream for indoor and outdoor nests. Non-flammable, non-conductive.



INDEX



Product Name Page	Product Name	Page	Product Name	Page	Product N
•		-		_	
A/C Easy Pass 10 A/C Stop Leak Repair & System 10	Frost Free C - Green Series Frost Free CI - Green Series	14 14	Paint & Graffiti Strip Paint Remover	37,43 38,43	Spritz Stainless S
Performance Booster	Frost Free CI - Red Series	14		38,43	
A/C Zero Leak 10	Frost Free Hydrometer	18,23		43	
A/C Zero Leak Tool Starter Kit 10	Frost Free I Śeries	14		37,43	Super Clea
Acid Neutralizer, Remover & Test Kits 8	Frost Free Standard Series	14		17	Super Fant
Acid Out 8	Fuel Oil Products	22,23	Pan Pills	17	Super Grea
Acid Spill Neutralizer Powder 8 Acid Test Kit 8	Fuel Oil Spill Sponge	22	Penetrating, Lubricating &	33	Super Heat
Acid Test Kit 8 Air Gone 25	Furnace Cement Gas Level Indicator	26 23	Water Displacing Oil Perch	28	Sweet Air E Sweet Air F
Alkylbenzene Oil 150 SUS 11	Geothermal Heat Transfer Fluid		Perma Flux	32	Sweet Air S
Alkylbenzene Oil 300 SUS 11	Geothermal-E	21	PG, 100% Food Grade -USP/EP	12	Thread Loc
All Clean 35	Geothermal-M	21	PG/EG Corrosion Inhibitor	18,23	Tire & Car
All Coil Cleaner 7	Geothermal-PG	21	Pipe Cool	32	Tire Dressir
All Purpose Cleaner 32		36		32	Winter (
Aluminum & Stainless Steel 39 Truck Cleaner	Glass Like New Grease Away	28,36,43 15,27,38	Piranha Piranha II	29 29	Tire Dressir All Seas
Anti-Clog 17		15,27,38	Plastic Pipe Cement, Primers	32	Tire Dressir
Anti-Freeze Products 12,13,14,21,23		28	& Cleaners	32	Solvent
Bearing Assembly Oil 33		39	Plumber's Plunger	30	Tire Dressir
	Green Clean	37	Polyol Ester Oil - HE	11	Deluxe
Blow Out 29	Grime Buster	7,15		11	Tire Rim Cl
Boggy Clean 37 Boil A Coil 26	Hand Cleaners	28 41	Polyol Ester Oil POE-32, 150 SUS	11	Tire Shine
Boiler Seal Powder 25	HD Drying / Rinse Aid HFC Oi l Coup l er	11	Polyol Ester Oil POE-68, 300 SUS Powdered Concrete Cleaner	11 42	Trace A Lea Train, Bus
Boiler System Cleaner 25	Hot Power	29	Power Clean	35	Truck Wash
Boiler Systems Treatments 25	HVAC Odor Clean	19		6,37,38	Ultra C l ean
Boiler Treatment 25	Hydro Lax	25	ProFrost BI-100	12	Vacuum Pu
Building Cleaners 42,43	Hydro Seal	25	Profrost Series	13	Valuline Co
Calci Gone 16	Ice Clean	16	Profrost Cl Series	13	Brighter
Car Wash Detergent 39 Car Wash Products 39,40,41	Ice Free Ice Machine Cleaners/Descalers	22 16		18,23 12	Valuline Ev Valuline Fo
CF-20 6	Indoor Air Quality	40	Propylene Glycol Chiller / HTF	12,13	Brighter
CF-20 Dual Oil Pump 6	Internal Coil Flushing Fluids	6	Protecta Coat	8	Valuline S
CF-20 Flush Injector 6	Kleer Out	30	Pure Air	20,24	& Evapo
CF-40 6	Kymcare	37	Pure Lye	29	& Brigh
Chem Vac Buckets 27 Chem Vac-Sticks 27	Kymcare Plus Leak Seek Yellow!	37 10,26	Pure Lye Flakes PVC Cement (Clear)	29 32	Vinyl Armo Vinyl Leat
Cherry Bomb 20,24	Leak Seek Blue!	10,26	Quick Clean	32 28	Wasp & Ho
Clean King 41	Leak Seek Yellow Leak Detector	10,26	Real Kill	43	Water Abso
Cleaning Selection Guide 34	Lime Dissolver	16,26,30	Refractory Cements, Glue	26	Water Dete
Coil King 7	Lime Dissolver Plus	16,26,30	& Leak Detection		Water Glas
Coil King Powder 7 Coil Safe 6	Liquid & Crystal Scale Inhibitor Liquid Plug	16 25	Refresh or Revive Refrigerants	42 9	Water Repe
Com Koil 7	Liquid Fidg Liquid Safe	22	Refrigeration Oil C-/GS, 300 SUS	11	White Wall
Commercial Lye 29	Liquid Scale Inhibitor	16	Refrigeration Oil C-3/GS, 150 SUS	11	Windshield
Condensate Pan Drain Opener 17	Lock Joint	18,32	Renew	38,42	Zero Leak /
Condensate Pan Products 17	Lube Tube	33	Renew Concentrate	38	Zip Clean
Condenser Coil Brightener & Cleaner 6,7 Contact Cleaner 15,28	Masonry & Metal Cleaners Masonry Cleaners	43 42	Renew Cream RS-24 (R426A)	38,43 9	Zip Clean 1
Copper Lock 17,31	Mechanical Equipment Cleaner			9,40	
CPVC-PVC Primer 32	& Degreasers		RS-45 (R434A)	9	-
Degrease 20+ 15	Metal Clean	37	RS-50 (R442A)	9	
Degrease 40+ 39	Metal Epoxy	17,31	RS-51 (R470B)	9	
Degreasers & Carbon Cleaners 27,28	Metal Epoxy Repair	17,31	RS-52 (R428A)	9	
Descaler Plus 26 Descalers 16	Metal Lock Black Micro Channel Power Clean	17,31 7	RS-53 (R470A) RTU Geothermal E	9 21	
Dirty Sox 19	Micro Surge	30	RTU Geothermal M	21	
Drain & Waste Line System Cleaners29,30	Microchannel PowerCleaner	7	RTU Geothermal PG	21	A
Duct Clean 19	Mineral Oil C-3/GS, 150 SUS	11	RV Grade Freeze Free	23	
Electric Motor Oil 33	Mineral Oil C-4/GS, 300 SUS	11	Safe	22	
Engine, Car & Truck Body Cleaners 39 Ethylene Glycol Chiller / HTF 14	Mineral, POE & Alkylbenezene Refrigeration Oils	11	Scale & Lime Deposit Removal Season Prep	26,30	/-
Evaporator Coil Cleaner 7,8	Mint Bomb	20	Septic Soap Digester	16 30	
Exterior Coil Protection 8	Mo Clean	37	Septic Tank & Cespool Cleaners	30	Headqua
Exterior Condenser & Evaporator Coil 6,7	Moisture Trap	6	Septic Tank & Cespool Cleaners	30	ComSta
Cleaners & Brighteners	Monkey Wrench	33	SFF-10	36,40	20-47 12
External Leak Detectors 10 Faucet & Valve Stem Lubricant 33	Multi C l ean Multi Seal	39 32	SFF-10 AL	36,40	College
Fiber Glass Sheen 35	Munch	29	SFF-10 TB SFF-20	36,40 35	Toll Free
Fire Pro Tech 18	Muriatic Acid 20°	42	Shake It	28	
Fire Pro Tech - 100 18	Neutra Clean	35	Shiny Bowl	30	
Fire Safe 18	Nickel Safe	16	Silicone Spray	33	
Flux & Pipe Soldering Coolant 32	No Heat Solder & Epoxy Leak So		Sky Blue	38,43	
Foaming Non-Acid Coil Brightener 8 Foamy Clean 7,15,27	"No Heat" Solder & Thread Lock No Run	cer 31 42	Sludge Solve Solar ProFlow	22 21	
Foamy Coil 7,13,27	Odor Bomb Series	19,24,40	Solar System HTF	21 21	7. (
Freeze Free - 100 F 23	Odor Control	19,20,24	Soot Broom	27	
Freeze Free - 100 F Polar 23	Odor Eliminator	19,24	Soot Cleaner Spray	27	
Freeze Free - 50 F 23			Soot Removers	27	41.
Freeze Free Hydrometers 18,23 Freeze Safe 12	Orange Bomb Orange Bomb Series	20 20,24	Speciality Sprinkler & Chiller Flu Sprinkler Safe	ids 18 18	
eele suic 12	Statige Bottle Series	20,24	Spirition said	10	





Headquarters: ComStar International Inc. 20-47 128th Street College Point, NY 11356 Toll Free: 1-800-328-0142



